

/performers-ext - External documentation

Performers Ext API Documentation

- Performers Ext API Documentation
 - Endpoint
 - Authentication
- Tracking URL
 - Example on affiliate id: 1, aff_sub1=documentation with performer misshornymiss
- Request CURL Samples
 - Fetch 10 female performers with ethnicities caucasian
 - Fetch one live female performer
 - Fetch one specific female performer
- Performance
 - Response time
 - Caching
- Change Log

Endpoint

```
1 GET /performers-ext
```

- URL: <https://performersext-api.pcvdaa.com/>

Authentication

- Required Header: `x-api-key`

⚠ This x-api-key must be provided by the support team

- Required Query Parameter: `token`

⚠ This token must be provided by the support team

/performers-ext /performers-ext query parameters				
Query Parameters				
Parameter	Type	Required	Description	Default
token	string	Yes	Authentication token for accessing performer data	
brands	string	No	Comma-separated list of brands to filter	<i>all brands available to your token</i>

			(e.g., "streamate,chaturbate")	
page	number	No	Page number for pagination . Must be ≥ 1	1
size	number	No	Number of items per page Must be ≥ 1	1
sorting	string	No	Sorting method Available values: • score: use <i>system_score</i> based on performer's live efficiency to foster trafic and spending • relevance • mostRecent • alphabetical • topRated • random	score
gender	string	No	Gender filter Available values: • f: female • m: male • c: couple • t: trans	f
live	boolean	No	Filter for live performers	false
tags	string	No	Comma-separated list of tags to filter (e.g., "athletic,curvy..etc") (tag_list)	

ethnicities	string	No	Comma-separated list of ethnicities to filter (e.g., "caucasian,asia") Available values in order of average number of models: - caucasian - ebony - hispanic - asian - indian - arab - native american	
lang	string	No	Language preference for Internationalization response object Available values: - en: english - es: spanish - fr: french - it: italian - de: german - pt: portuguese	en
name	string	No	performer's name clean to fetch example: misshornymiss	

Response

Success Response (200 OK)

```

1 {
2   "count": <number of performers matching your query>,
3   "performers": [
4     {
5       "nameClean": "string",
6       "characteristic": {

```

```

7       "bodyTypes": "string[]",
8       ...,
9       "measurements": "34-27-36\" (86-69-91cm)"
10    },
11    "score": "number",
12    "live": "boolean",
13    "iframeFeedURL": "string",
14    "roomUrl": "string",
15    "i18n": {
16        "characteristic": "string",
17        "description": "string",
18        "expertise": "string",
19        ...,
20        "turnOns": "string"
21    },
22    "updatedAt": "string",
23    "customTags": "string[]",
24    "totalVideos": "number",
25    "characteristicsTags": "string[]",
26    "autoTags": "string[]",
27    "stars": "number",
28    "systemScore": "number",
29    "systemSource": "string",
30    "lastConnection": "string",
31    "itemId": "string",
32    "createdAt": "string",
33    "name": "string",
34    "thumbnailUrl": "string",
35    "streamFeedUrl": "string"
36  }
37 ]
38 }

```

Error Responses

401 Unauthorized

```

1  {
2    "message": "Unauthorized"
3  }

```

Occurs when:

- No API key is provided
- No token is provided
- Token data is invalid or not found
- No allowed brands are found

400 Bad Request

```

1  {
2    "error": "string"
3  }

```

Occurs when the performers service returns an error

500 Internal Server Error

```
1 {  
2   "message": "Internal Server Error"  
3 }
```

Occurs when there's an error fetching performers data

Supported Brands

 You can only fetched performers from the brands you are allowed to use

- streamate
- mfc (myfreecams)
- chaturbate
- bongacash
- awempire
- stripchat
- imlive

Pagination

 We recommend to use pagination with a maximum of 12 performers by page for best performance. The higher the number of performers the longer the response time.

Query parameters for pagination

Parameter	Type	Required	Description	Default
page	number	No	Page number for pagination	1
size	number	No	Number of performers per page	1

Examples

- Request the first 6 performers
 - *&page=1*
 - *&size=6*

```
1 https://performersext-api.pcvdaa.com/performers-ext?token=  
  <YOUR_TOKEN>&gender=f&live=true&lang=en&page=1size=6
```

- Request the next 6 performers
 - *&page=2*
 - *&size=6*

```
1 https://performersext-api.pcvdaa.com/performers-ext?token=  
  <YOUR_TOKEN>&gender=f&live=true&lang=en&page=2size=6
```

Tags list

Available tag list values:

```
1  anal
2  athletic
3  bbw
4  curvy
5  dancing
6  beautiful
7  black hair
8  blowjob
9  bdsm
10 bondage
11 deepthroat
12 dirty talk
13 big ass
14 big tits
15 blond hair
16 brown hair
17 dominant
18 findom
19 femdom
20 feet
21 housewife
22 kinky
23 milf
24 muscular
25 hairy
26 masturbation
27 petite
28 red hair
29 skinny
30 sex toy
31 squirt
32 striptease
33 submissive
34 tattoos
```

/performers-ext | /performers-ext examples

Example Request

```
1 GET /performers-ext-test?token=
  <YOUR_TOKEN>&brands=streamate&page=1&size=5&sorting=score&gender=f&live=true
2 Headers:
3   x-api-key: your-api-key
```

Example Response

```
1 {
2   "count": 213,
3   "performers": [
4     {
5       "nameClean": "misshornymiss",
```

```

6         "characteristic": {
7             "bodyTypes": [
8                 "Slender"
9             ],
10            "circumcised": "",
11            "country": "CA",
12            "chest": "",
13            "gender": "f",
14            "languages": [
15                "English",
16                "French"
17            ],
18            "bustSize": "DD/E",
19            "zodiac": "Scorpio",
20            "pubicHair": "Hairy",
21            "weight": "145",
22            "bodyMods": [
23                "Tattoos"
24            ],
25            "fetishes": [
26                "Feet",
27                "Anal",
28                "Roleplay",
29                "Submissive",
30                "Depththroat"
31            ],
32            "bodyHairs": [],
33            "ethnicities": [
34                "White"
35            ],
36            "genderCode": "f",
37            "sexualPreferences": [
38                "Bisexual"
39            ],
40            "eyeColor": "Green",
41            "penisSize": "",
42            "theme": "Toys,Housewives",
43            "hairColor": "Red",
44            "age": 47,
45            "height": "65",
46            "measurements": "34-27-36\" (86-69-91cm)"
47        },
48        "score": 5,
49        "live": true,
50        "iframeFeedURL": "https://hybridclient.naiadsystems.com/purecam?
performer=misshornymiss&performerid=88333014&volumelevel=0&widescreen=true",
51        "i18n": {
52            "characteristic": {
53                "bodyTypes": [
54                    "Slender"
55                ],
56                "circumcised": "",
57                "country": "Canada",
58                "chest": "",
59                "gender": "Woman",
60                "languages": [
61                    "English",
62                    "French"

```

```
63         ],
64         "bustSize": "Large",
65         "zodiac": "Scorpio",
66         "pubicHair": "Hairy",
67         "weight": "145 lbs",
68         "bodyMods": [
69             "tattoos"
70         ],
71         "fetishes": [
72             "Foot Fetish",
73             "Anal",
74             "Roleplay",
75             "Submissive",
76             "Deepthroat"
77         ],
78         "bodyHairs": [],
79         "ethnicities": [
80             "Caucasian"
81         ],
82         "sexualPreferences": [
83             "Bisexual"
84         ],
85         "eyeColor": "Green",
86         "penisSize": "",
87         "theme": "Toys,Housewives",
88         "hairColor": "Red",
89         "age": 47,
90         "height": "5'5\"",
91         "measurements": "34-27-36\" (86-69-91cm)"
92     },
93     "description": "I like to touch myself knowing that you are hard
for me, making yourself happy is a priority. I love to outdo myself for a role
play, to be your submissive, but also to give you orders. I do JOI, SPH, FOOT,
ANAL, MASTURBATION, SQUIRTING.",
94     "expertise": "I do amazing role plays. Dirty talk, as well as
several fetishes, GOLD SHOW, JOI, FOOT, SPH and more. Be as precise as possible in
your requests.",
95     "turnOns": "I love when there is a bond between the two of us, I
love to see you cum, it becomes my reward. Being dominated and also dominant,
sensuality excites me as much as your naughty side. I love JOI, SPH, FOOT, ANAL,
MASTURBATION."
96     },
97     "updatedAt": "2025-05-07T18:37:27.019Z",
98     "customTags": [
99         "langenglish",
100         "langfrench",
101         "gc_40_49",
102         "gc_canada"
103     ],
104     "totalVideos": 54,
105     "characteristicsTags": [
106         "anal",
107         "bisexual",
108         "canada",
109         "caucasian",
110         "deepthroat",
111         "english",
112         "foot fetish",
```

```

113         "french",
114         "green eyes",
115         "hairy",
116         "large tits",
117         "mature",
118         "petite",
119         "red hair",
120         "roleplay",
121         "scorpio",
122         "slender",
123         "submissive",
124         "tattoos",
125         "white",
126         "woman"
127     ],
128     "autoTags": [
129         "blowjob",
130         "dirty talk",
131         "feet",
132         "housewife",
133         "masturbation",
134         "muscular",
135         "pussy",
136         "sex toy",
137         "squirt"
138     ],
139     "stars": 5,
140     "systemScore": 0.99631191,
141     "systemSource": "streamate",
142     "lastConnection": "2025-04-28T19:51:04.000Z",
143     "itemId": "streamate_88333014",
144     "createdDate": "2022-09-03T05:14:07.506Z",
145     "name": "misshornymiss",
146     "thumbnailUrl":
147         "https://imagetransform.icfcdn.com/avatar/misshornymiss.webp",
148     "roomUrl": "https://t.crjumpy.com/158626/6358?
149         aff_sub3=TC_LW9H5CT9&aff_sub4=AT_0007&aff_sub5=SF_0060G000009yQgn&file_id=614495&mo
150         del=misshornymiss"
151     }
152 ]
153 }
```

/performers-ext | /performers-ext Performer Object documentation

Performer Object Documentation

Basic Information

Property	Type	Description	Example
<code>name</code>	string	Performer's username/display name	"misshornymiss"
<code>nameClean</code>	string	System standardized performer name	"misshornymiss"

itemId	string	Unique identifier (platform_id)	"streamate_88333014"
thumbnailUrl	string	Profile image URL	" https://imagetransform.cfcdn.com/avatar/misshornymiss.webp "
roomUrl	string	Direct streaming room link	" JerkmateLive - Web Cam Video Chat "

Status and Metrics

Property	Type	Description	Example
live	boolean	Current streaming status	true
score	number	Performer rating on provider system	1
stars	number	Performer stars	5
systemScore	number	Internal system rating (0-1)	0.99631191
totalVideos	number	Available videos count	54
systemSource	string	Platform identifier	"streamate"

Timestamps

Property	Type	Description	Example
createdDate	string	Profile creation date (ISO)	"2022-09-03T05:14:07.506Z"
updatedAt	string	Last profile update (ISO)	"2025-05-07T18:37:27.019Z"
lastConnection	string	Last activity (ISO)	"2025-04-28T19:51:04.000Z"

Streaming Information

Property	Type	Description	Example
iframeFeedURL	string	Stream embed URL	" https://hybridclient.naigdsystems.com/purecam?... "

Characteristics Object

Property	Type	Description	Example
age	number	Performer's age	47
height	string	Height in inches	"65"
weight	string	Weight in pounds	"145"
measurements	string	Body measurements	"34-27-36\" (86-69-91cm)"
bustSize	string	Bra size	"DD/E"
hairColor	string	Hair color	"Red"
eyeColor	string	Eye color	"Green"
pubicHair	string	Pubic hair style	"Hairy"
gender	string	Gender identifier	"f"
genderCode	string	Single character gender code	"f"
country	string	Two-letter country code	"CA"
languages	string[]	Spoken languages	["English", "French"]
ethnicities	string[]	Ethnic backgrounds	["White"]
bodyTypes	string[]	Body type descriptors	["Slender"]
bodyMods	string[]	Body modifications	["Tattoos"]
bodyHairs	string[]	Body hair characteristics	[]
zodiac	string	Astrological sign	"Scorpio"
sexualPreferences	string[]	Sexual orientations	["Bisexual"]
fetishes	string[]	Fetish interests	["Feet", "Anal", "Roleplay", "Submissive", "Deepthroat"]
theme	string	Comma-separated themes	"Toys,Housewives"

Internationalization (i18n) Object

Property	Type	Description	Example
----------	------	-------------	---------

characteristic	object	Translated characteristics	{ country: "Canada", gender: "Woman", ... }
description	string	Self-description	"I like to touch myself..."
expertise	string	Specialties	"I do amazing role plays..."
turnOns	string	Preferences	"I love when there is a bond..."

Tags

Property	Type	Description	Example
customTags	string[]	System-generated tags	["langenglish", "langfrench", "gc_40_49", "gc_canada"]
characteristicsTags	string[]	Characteristic-derived tags	["anal", "bisexual", "canada", ...]
autoTags	string[]	Auto-generated content tags	["blowjob", "dirty talk", "feet", ...]

Notes

- All timestamps are in ISO 8601 format
- URLs are HTTPS
- Arrays may be empty but are never null
- Some fields may be empty strings ("") when no value is available
- The object follows a consistent structure for internationalization
- Tags are used for search and categorization purposes

Tracking URL

 Make sure your affiliate id is included into the returnUrl for a successful tracking

Each Performer object must have a `returnUrl`. It redirects to the performer's room. This url must contain your tracking parameters and the performer name as:

```
1 https://{domain}/{affiliate_id}/{}?{tracking_params(aff_sub,ssource,..etc..)}>&model={performerName}
```

Example on affiliate id: 1, aff_sub1=documentation with performer misshornymiss

```
1 https://t.crjmpy.com/1/3?aff_sub1=documentation&model=misshornymiss
```

Request CURL Samples

Fetch 10 female performers with ethnicities caucasian

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)
- query params:
 - token=<YOUR_TOKEN> (required)
 - gender=f
 - page=1
 - size=10
 - ethnicities=caucasian

```
1 curl --location 'https://{url}/performers-ext/?token=
  <YOUR_TOKEN>&gender=f&ethnicities=caucasian&page1&size=10' \
2 --header 'x-api-key: <YOUR API_KEY>'
```

Example use case: for displaying the feed of a specific performer

Fetch one live female performer

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)
- query params:
 - token=<YOUR_TOKEN> (required)
 - live=true
 - gender=f
 - page=1
 - size=1

```
1 curl --location 'https://{url}/performers-ext/?gender=f&live=true&token=
  <YOUR_TOKEN>&size=1&page=1' \
2 --header 'x-api-key: <YOUR API_KEY>'
```

Example use case: for displaying the feed of a specific performer

Fetch one specific female performer

 Required: performer name AND performer's brand

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)
- query params:
 - token=<YOUR_TOKEN> (required)
 - name=<PERFORMER_NAME>

- brands=<PERFORMER_BRAND>

```
1 curl --location 'https://{url}/performers-ext/?
  name=misshornymiss&brands=streamate&token=<YOUR_TOKEN>&size=1&page=1' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for fetching profile information of a specific performer

Performance

Response time

- The more models are requested, the longer the response time
 - Latency is increased by the network requests and payload processing

Caching

- Performers data is cached for 30seconds

Change Log

Version	Date	By whom	Description
1.2	2025-07-14	Support team	Update on <i>name</i> filter
1.1	2025-07-01	Support team	Performance optimization. Available value listing.
.1.0	2025-05-23	Support team	First deployment of the endpoint