

/performers-ext - External documentation

Performers Ext API Documentation

- Performers Ext API Documentation
 - Endpoint
 - Authentication
- Tracking URL
 - Example on affiliate id: 1, aff_sub1=documentation with performer misshornymiss
- Request CURL Samples
 - Fetch 10 female performers with ethnicities caucasian
 - Fetch one live female performer
 - Fetch one specific female performer
- Performance
 - Response time
 - Caching
- Change Log

Endpoint

```
1 GET /performers-ext
```

- URL: <https://performersext-api.pcvdaa.com/>

Authentication

- Required Header: `x-api-key`

 This x-api-key must be provided by the support team

- Required Query Parameter: `token`

 This token must be provided by the support team

/performers-ext /performers-ext query parameters				
Query Parameters				
Parameter	Type	Required	Description	Default
token	string	Yes	Authentication token for accessing performer data	
brands	string	No	Comma-separated list of brands to filter	<i>all brands available to your token</i>

			(e.g., "streamate,chaturbate")	
page	number	No	Page number for pagination . Must be >= 1	1
size	number	No	Number of items per page Must be >= 1	1
sorting	string	No	Sorting method Available values: • score: use <i>system_score</i> based on performer's live efficiency to foster traffic and spending • relevance • mostRecent • alphabetical • topRated • random	score
gender	string	No	Gender filter Available values: • f: female • m: male • c: couple • t: trans	f
live	boolean	No	Filter for live performers	false
tags	string	No	Comma-separated list of tags to filter (e.g., "athletic,curvy..etc") (tag list).	

ethnicities	string	No	Comma-separated list of ethnicities to filter (e.g., "caucasian,asia") Available values in order of average number of models: - caucasian - ebony - hispanic - asian - indian - arab - native american	
lang	string	No	Language preference for Internationalization response object Available values: - en: english - es: spanish - fr: french - it: italian - de: german - pt: portuguese	en

Response [🔗](#)

Success Response (200 OK) [🔗](#)

```

1 {
2   "count": <number of performers matching your query>,
3   "performers": [
4     {
5       "nameClean": "string",
6       "characteristic": {
7         "bodyTypes": "string[]",
8         ...,
9         "measurements": "34-27-36\" (86-69-91cm)"
10      },
11     "score": "number",
12     "live": "boolean",
13     "iframeFeedURL": "string",

```

```

14     "roomUrl": "string",
15     "i18n": {
16         "characteristic": "string",
17         "description": "string",
18         "expertise": "string",
19         ...,
20         "turnOns": "string"
21     },
22     "updatedAt": "string",
23     "customTags": "string[]",
24     "totalVideos": "number",
25     "characteristicsTags": "string[]",
26     "autoTags": "string[]",
27     "stars": "number",
28     "systemScore": "number",
29     "systemSource": "string",
30     "lastConnection": "string",
31     "itemId": "string",
32     "createdAt": "string",
33     "name": "string",
34     "thumbnailUrl": "string",
35     "streamFeedUrl": "string"
36 }
37 ]
38 }

```

Error Responses [🔗](#)

401 Unauthorized [🔗](#)

```

1 {
2   "message": "Unauthorized"
3 }

```

Occurs when:

- No API key is provided
- No token is provided
- Token data is invalid or not found
- No allowed brands are found

400 Bad Request [🔗](#)

```

1 {
2   "error": "string"
3 }

```

Occurs when the performers service returns an error

500 Internal Server Error [🔗](#)

```

1 {
2   "message": "Internal Server Error"
3 }

```

Occurs when there's an error fetching performers data

Supported Brands [🔗](#)

 You can only fetched performers from the brands you are allowed to use

- streamate
- mfc (myfreecams)
- chaturbate
- bongacash
- awempire
- stripchat
- imlive

Pagination [🔗](#)

 We recommend to use pagination with a maximum of 12 performers by page for best performance. The higher the number of performers the longer the response time.

Query parameters for pagination [🔗](#)

Parameter	Type	Required	Description	Default
page	number	No	Page number for pagination	1
size	number	No	Number of performers per page	1

Examples [🔗](#)

- Request the first 6 performers
 - `&page=1`
 - `&size=6`

```
1 https://performersex-api.pcvdaa.com/performers-ext?token=<YOUR_TOKEN>&gender=f&live=true&lang=en&page=1size=6
```

- Request the next 6 performers
 - `&page=2`
 - `&size=6`

```
1 https://performersex-api.pcvdaa.com/performers-ext?token=<YOUR_TOKEN>&gender=f&live=true&lang=en&page=2size=6
```

Tags list [🔗](#)

Available tag list values:

- ```
1 anal
2 athletic
3 bbw
4 curvy
```

```
5 dancing
6 beautiful
7 black hair
8 blowjob
9 bdsm
10 bondage
11 depththroat
12 dirty talk
13 big ass
14 big tits
15 blond hair
16 brown hair
17 dominant
18 findom
19 femdom
20 feet
21 housewife
22 kinky
23 milf
24 muscular
25 hairy
26 masturbation
27 petite
28 red hair
29 skinny
30 sex toy
31 squirt
32 striptease
33 submissive
34 tattoos
```

/performers-ext | /performers-ext examples

### Example Request [↗](#)

```
1 GET /performers-ext-test?token=
 <YOUR_TOKEN>&brands=streamate&page=1&size=5&sorting=score&gender=f&live=true
2 Headers:
3 x-api-key: your-api-key
```

### Example Response [↗](#)

```
1 {
2 "count": 213,
3 "performers": [
4 {
5 "nameClean": "misshornymiss",
6 "characteristic": {
7 "bodyTypes": [
8 "Slender"
9],
10 "circumcised": "",
11 "country": "CA",
12 "chest": "",
13 "gender": "f",
```

```

14 "languages": [
15 "English",
16 "French"
17],
18 "bustSize": "DD/E",
19 "zodiac": "Scorpio",
20 "pubicHair": "Hairy",
21 "weight": "145",
22 "bodyMods": [
23 "Tattoos"
24],
25 "fetishes": [
26 "Feet",
27 "Anal",
28 "Roleplay",
29 "Submissive",
30 "Depththroat"
31],
32 "bodyHairs": [],
33 "ethnicities": [
34 "White"
35],
36 "genderCode": "f",
37 "sexualPreferences": [
38 "Bisexual"
39],
40 "eyeColor": "Green",
41 "penisSize": "",
42 "theme": "Toys,Housewives",
43 "hairColor": "Red",
44 "age": 47,
45 "height": "65",
46 "measurements": "34-27-36\" (86-69-91cm)"
47 },
48 "score": 5,
49 "live": true,
50 "iframeFeedURL": "https://hybridclient.naiadsystems.com/purecam?
performer=misshornymiss&performerid=88333014&volumelevel=0&widescreen=true",
51 "i18n": {
52 "characteristic": {
53 "bodyTypes": [
54 "Slender"
55],
56 "circumcised": "",
57 "country": "Canada",
58 "chest": "",
59 "gender": "Woman",
60 "languages": [
61 "English",
62 "French"
63],
64 "bustSize": "Large",
65 "zodiac": "Scorpio",
66 "pubicHair": "Hairy",
67 "weight": "145 lbs",
68 "bodyMods": [
69 "tattoos"
70],

```

```
71 "fetishes": [
72 "Foot Fetish",
73 "Anal",
74 "Roleplay",
75 "Submissive",
76 "Deepthroat"
77],
78 "bodyHairs": [],
79 "ethnicities": [
80 "Caucasian"
81],
82 "sexualPreferences": [
83 "Bisexual"
84],
85 "eyeColor": "Green",
86 "penisSize": "",
87 "theme": "Toys,Housewives",
88 "hairColor": "Red",
89 "age": 47,
90 "height": "5'5\"",
91 "measurements": "34-27-36\" (86-69-91cm)"
92 },
93 "description": "I like to touch myself knowing that you are hard
for me, making yourself happy is a priority. I love to outdo myself for a role
play, to be your submissive, but also to give you orders. I do JOI, SPH, FOOT,
ANAL, MASTURBATION, SQUIRTING.",
94 "expertise": "I do amazing role plays. Dirty talk, as well as
several fetishes, GOLD SHOW, JOI, FOOT, SPH and more. Be as precise as possible in
your requests.",
95 "turnOns": "I love when there is a bond between the two of us, I
love to see you cum, it becomes my reward. Being dominated and also dominant,
sensuality excites me as much as your naughty side. I love JOI, SPH, FOOT, ANAL,
MASTURBATION."
96 },
97 "updatedAt": "2025-05-07T18:37:27.019Z",
98 "customTags": [
99 "langenglish",
100 "langfrench",
101 "gc_40_49",
102 "gc_canada"
103],
104 "totalVideos": 54,
105 "characteristicsTags": [
106 "anal",
107 "bisexual",
108 "canada",
109 "caucasian",
110 "deepthroat",
111 "english",
112 "foot fetish",
113 "french",
114 "green eyes",
115 "hairy",
116 "large tits",
117 "mature",
118 "petite",
119 "red hair",
120 "roleplay",
```



```

121 "scorpio",
122 "slender",
123 "submissive",
124 "tattoos",
125 "white",
126 "woman"
127],
128 "autoTags": [
129 "blowjob",
130 "dirty talk",
131 "feet",
132 "housewife",
133 "masturbation",
134 "muscular",
135 "pussy",
136 "sex toy",
137 "squirt"
138],
139 "stars": 5,
140 "systemScore": 0.99631191,
141 "systemSource": "streamate",
142 "lastConnection": "2025-04-28T19:51:04.000Z",
143 "itemId": "streamate_88333014",
144 "createdAt": "2022-09-03T05:14:07.506Z",
145 "name": "misshornymiss",
146 "thumbnailUrl":
147 "https://imagetransform.icfcdn.com/avatar/misshornymiss.webp",
148 "roomUrl": "https://t.crjumpy.com/158626/6358?
149 aff_sub3=TC_LW9H5CT9&aff_sub4=AT_0007&aff_sub5=SF_0060G000009yQgn&file_id=614495&mo
150 del=misshornymiss"
151 }
152]
153 }

```

/performers-ext | /performers-ext Performer Object documentation

## Performer Object Documentation [↗](#)

### Basic Information [↗](#)

| Property                  | Type   | Description                        | Example                                                                                                                                   |
|---------------------------|--------|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <code>name</code>         | string | Performer's username/display name  | "misshornymiss"                                                                                                                           |
| <code>nameClean</code>    | string | System standardized performer name | "misshornymiss"                                                                                                                           |
| <code>itemId</code>       | string | Unique identifier (platform_id)    | "streamate_88333014"                                                                                                                      |
| <code>thumbnailUrl</code> | string | Profile image URL                  | " <a href="https://imagetransform.icfcdn.com/avatar/misshornymiss.webp">https://imagetransform.icfcdn.com/avatar/misshornymiss.webp</a> " |

|         |        |                            |                                                          |
|---------|--------|----------------------------|----------------------------------------------------------|
| roomUrl | string | Direct streaming room link | " <a href="#">🇺🇸 JerkmateLive - Web Cam Video Chat</a> " |
|---------|--------|----------------------------|----------------------------------------------------------|

Status and Metrics [🔗](#)

| Property     | Type    | Description                         | Example     |
|--------------|---------|-------------------------------------|-------------|
| live         | boolean | Current streaming status            | true        |
| score        | number  | Performer rating on provider system | 1           |
| stars        | number  | Performer stars                     | 5           |
| systemScore  | number  | Internal system rating (0-1)        | 0.99631191  |
| totalVideos  | number  | Available videos count              | 54          |
| systemSource | string  | Platform identifier                 | "streamate" |

Timestamps [🔗](#)

| Property       | Type   | Description                 | Example                    |
|----------------|--------|-----------------------------|----------------------------|
| createdDate    | string | Profile creation date (ISO) | "2022-09-03T05:14:07.506Z" |
| updatedAt      | string | Last profile update (ISO)   | "2025-05-07T18:37:27.019Z" |
| lastConnection | string | Last activity (ISO)         | "2025-04-28T19:51:04.000Z" |

Streaming Information [🔗](#)

| Property      | Type   | Description      | Example                                                                                                                 |
|---------------|--------|------------------|-------------------------------------------------------------------------------------------------------------------------|
| iframeFeedURL | string | Stream embed URL | " <a href="https://hybridclient.naigdsystems.com/purecam/?...">https://hybridclient.naigdsystems.com/purecam/?...</a> " |

Characteristics Object [🔗](#)

| Property | Type   | Description     | Example |
|----------|--------|-----------------|---------|
| age      | number | Performer's age | 47      |

|                   |          |                              |                                                          |
|-------------------|----------|------------------------------|----------------------------------------------------------|
| height            | string   | Height in inches             | "65"                                                     |
| weight            | string   | Weight in pounds             | "145"                                                    |
| measurements      | string   | Body measurements            | "34-27-36\" (86-69-91cm)"                                |
| bustSize          | string   | Bra size                     | "DD/E"                                                   |
| hairColor         | string   | Hair color                   | "Red"                                                    |
| eyeColor          | string   | Eye color                    | "Green"                                                  |
| pubicHair         | string   | Pubic hair style             | "Hairy"                                                  |
| gender            | string   | Gender identifier            | "f"                                                      |
| genderCode        | string   | Single character gender code | "f"                                                      |
| country           | string   | Two-letter country code      | "CA"                                                     |
| languages         | string[] | Spoken languages             | ["English", "French"]                                    |
| ethnicities       | string[] | Ethnic backgrounds           | ["White"]                                                |
| bodyTypes         | string[] | Body type descriptors        | ["Slender"]                                              |
| bodyMods          | string[] | Body modifications           | ["Tattoos"]                                              |
| bodyHairs         | string[] | Body hair characteristics    | []                                                       |
| zodiac            | string   | Astrological sign            | "Scorpio"                                                |
| sexualPreferences | string[] | Sexual orientations          | ["Bisexual"]                                             |
| fetishes          | string[] | Fetish interests             | ["Feet", "Anal", "Roleplay", "Submissive", "Deepthroat"] |
| theme             | string   | Comma-separated themes       | "Toys,Housewives"                                        |

Internationalization (i18n) Object [↗](#)

| Property       | Type   | Description                | Example                                     |
|----------------|--------|----------------------------|---------------------------------------------|
| characteristic | object | Translated characteristics | { country: "Canada", gender: "Woman", ... } |
| description    | string | Self-description           | "I like to touch myself..."                 |

|                        |        |             |                                  |
|------------------------|--------|-------------|----------------------------------|
| <code>expertise</code> | string | Specialties | "I do amazing role plays..."     |
| <code>turnOns</code>   | string | Preferences | "I love when there is a bond..." |

## Tags [🔗](#)

| Property                         | Type     | Description                 | Example                                                |
|----------------------------------|----------|-----------------------------|--------------------------------------------------------|
| <code>customTags</code>          | string[] | System-generated tags       | ["langenglish", "langfrench", "gc_40_49", "gc_canada"] |
| <code>characteristicsTags</code> | string[] | Characteristic-derived tags | ["anal", "bisexual", "canada", ...]                    |
| <code>autoTags</code>            | string[] | Auto-generated content tags | ["blowjob", "dirty talk", "feet", ...]                 |

## Notes [🔗](#)

- All timestamps are in ISO 8601 format
- URLs are HTTPS
- Arrays may be empty but are never null
- Some fields may be empty strings ("") when no value is available
- The object follows a consistent structure for internationalization
- Tags are used for search and categorization purposes

## Tracking URL [🔗](#)

**⚠️** Make sure your affiliate id is included into the roomUrl for a successful tracking

Each Performer object must have a `roomUrl`. It redirects to the performer's room. This url must contain your tracking parameters and the performer name as:

```
1 https://{domain}/{affiliate_id}/{}?{tracking_params(aff_sub,ssource,..etc..)}&model={performerName}
```

**Example on affiliate id: 1, aff\_sub1=documentation with performer `misshornymiss`** [🔗](#)

```
1 https://t.crjmpy.com/1/3?aff_sub1=documentation&model=misshornymiss
```

## Request CURL Samples [🔗](#)

### Fetch 10 female performers with ethnicities caucasian [🔗](#)

- request headers:
  - 'x-api-key': <YOUR\_API\_KEY> (required)
- query params:
  - token=<YOUR\_TOKEN> (required)
  - gender=f
  - page=1
  - size=10
  - ethnicities=caucasian

```
1 curl --location 'https://{url}/performers-ext/?token=
 <YOUR_TOKEN>&gender=fðnicities=caucasian&page1&size=10' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for displaying the feed of a specific performer

### Fetch one live female performer [🔗](#)

- request headers:
  - 'x-api-key': <YOUR\_API\_KEY> (required)
- query params:
  - token=<YOUR\_TOKEN> (required)
  - live=true
  - gender=f
  - page=1
  - size=1

```
1 curl --location 'https://{url}/performers-ext/?gender=f&live=true&token=
 <YOUR_TOKEN>&size=1&page=1' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for displaying the feed of a specific performer

### Fetch one specific female performer [🔗](#)

**i** Required: performer name AND performer's brand

- request headers:
  - 'x-api-key': <YOUR\_API\_KEY> (required)
- query params:
  - token=<YOUR\_TOKEN> (required)
  - performerName=<PERFORMER\_NAME>
  - brands=<PERFORMER\_BRAND>

```
1 curl --location 'https://{url}/performers-ext/?
 performerName=misshornymiss&brands=streamate&token=<YOUR_TOKEN>&size=1&page=1' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for fetching profile information of a specific performer

## Performance [🔗](#)

### Response time [🔗](#)

- The more models are requested, the longer the response time
  - Latency is increased by the network requests and payload processing

### Caching [🔗](#)

- Performers data is cached for 30seconds

## Change Log [🔗](#)

| Version | Date       | By whom      | Description                                           |
|---------|------------|--------------|-------------------------------------------------------|
| 1.1     | 2025-07-01 | Support team | Performance optimization.<br>Available value listing. |
| .1.0    | 2025-05-23 | Support team | First deployment of the endpoint                      |