

Performers Ext API Documentation

- Performers Ext API Documentation
  - Endpoint
  - Authentication
  - Tracking URL
    - Example on affiliate id: 1, aff\_sub1=documentation with performer misshornymiss
  - Request CURL Samples
    - Fetch 10 female performers with ethnicities caucasian
    - Fetch one live female performer
    - Fetch one specific female performer
    - Fetch performers within age
    - Display stream feed of a live performer
    - Use case
    - How to
  - Performance
    - Response time
    - Caching
  - Legal & Compliance Requirements
    - Terms of Service & Ethical Content Compliance
    - DMCA Compliance
    - API Key and Token Usage Restrictions
    - Enforcement
  - Change Log

Endpoint

```
1 GET /performers-ext
```

- URL: <https://performersext-api.pcvdaa.com/>

Authentication

- Required Header: `x-api-key`

⚠ This x-api-key must be provided by the support team

- Required Query Parameter: `token`

⚠ This token must be provided by the support team

- Required Header: *User-Agent*

Query Parameters

Parameter	Type	Required	Description	Default
token	string	Yes	Authentication token for accessing	

			performer data	
brands	string	No	Comma-separated list of brands to filter (e.g., "streamate,chaturbate")	<i>all brands available to your token</i>
page	number	No	Page number for pagination . Must be >= 1	1
size	number	No	Number of items per page Must be >= 1	1
sorting	string	No	Sorting method Available values: <ul style="list-style-type: none"> <li>• score: use <i>system_score</i> based on performer's live efficiency to foster traffic and spending</li> <li>• relevance</li> <li>• mostRecent</li> <li>• alphabetical</li> <li>• topRated</li> <li>• random</li> </ul>	score
gender	string	No	Gender filter Available values: <ul style="list-style-type: none"> <li>• f: female</li> <li>• m: male</li> <li>• c: couple</li> <li>• t: trans</li> </ul>	f
live	boolean	No	Filter for live performers	false
tags	string	No	Comma-separated list of tags to filter (e.g.,	

			"athletic,curvy..etc") ( <a href="#">tag list</a> )	
ethnicities	string	No	<p>Comma-separated list of ethnicities to filter (e.g., "caucasian,asia")</p> <p>Available values in order of average number of models:</p> <ul style="list-style-type: none"> <li>• caucasian</li> <li>• ebony</li> <li>• hispanic</li> <li>• asian</li> <li>• indian</li> <li>• arab</li> <li>• native american</li> </ul>	
ages	string	No	<p>Comma-separated list of ethnicities to filter (e.g., "gc_18_19,gc_20_29")</p> <p>Available values in order of average number of models:</p> <ul style="list-style-type: none"> <li>• gc_18_19</li> <li>• gc_20_29</li> <li>• gc_30_39</li> <li>• gc_40_49</li> <li>• gc_50_plus</li> </ul>	
lang	string	No	<p>Language preference for Internationalization response object</p> <p>Available values:</p> <ul style="list-style-type: none"> <li>• en: english</li> <li>• es: spanish</li> <li>• fr: french</li> <li>• it: italian</li> <li>• de: german</li> </ul>	en

			<ul style="list-style-type: none"> <li>pt: portuguese</li> </ul>	
name	string	No	performer's name clean to fetch example: <ul style="list-style-type: none"> <li>misshornymiss</li> </ul>	

## Response

### Success Response (200 OK)

```

1 {
2   "count": <number of performers matching your query>,
3   "performers": [
4     {
5       "nameClean": "string",
6       "characteristic": {
7         "bodyTypes": "string[]",
8         ...,
9         "measurements": "34-27-36\" (86-69-91cm)"
10      },
11      "score": "number",
12      "live": "boolean",
13      "iframeFeedURL": "string",
14      "roomUrl": "string",
15      "i18n": {
16        "characteristic": "string",
17        "description": "string",
18        "expertise": "string",
19        ...,
20        "turnOns": "string"
21      },
22      "updatedAt": "string",
23      "customTags": "string[]",
24      "totalVideos": "number",
25      "characteristicsTags": "string[]",
26      "autoTags": "string[]",
27      "stars": "number",
28      "systemScore": "number",
29      "systemSource": "string",
30      "lastConnection": "string",
31      "itemId": "string",
32      "createdDate": "string",
33      "name": "string",
34      "thumbnailUrl": "string",
35      "streamFeedUrl": "string"
36    }
37  ]
38 }
```

### Error Responses

#### 403 Forbidden

```

1 {
2   "message": "Forbidden"
3 }
```

Occurs when:

- No API key is provided
- API key is invalid

#### 403 Forbidden

- HTML response

```
1 <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
2 <HTML><HEAD><META HTTP-EQUIV="Content-Type" CONTENT="text/html; charset=iso-8859-1">
3 <TITLE>ERROR: The request could not be satisfied</TITLE>
```

Occurs when:

- No *User-Agent* header is available

#### 401 Unauthorized: brands not allowed

```
1 {
2   "message": "Unauthorized: brands not allowed"
3 }
```

Occurs when:

- brands invalid

#### 401 Unauthorized: No token provided

```
1 {
2   "message": "Unauthorized: No token provided"
3 }
```

Occurs when:

- No token is found

#### 401 Unauthorized: Failed to retrieve token data

```
1 {
2   "message": "Unauthorized: Failed to retrieve token data"
3 }
```

Occurs when:

- Token invalid

#### 400 Bad Request

```
1 {
2   "error": "string"
3 }
```


Occurs when the performers service returns an error

#### 500 Internal Server Error

```
1 {
2   "message": "Internal Server Error"
3 }
```

Occurs when there's an error fetching performers data


### Supported Brands

 You can only fetched performers from the brands you are allowed to use

- streamate
- mfc (myfreecams)
- chaturbate
- bongacash

- awempire
- stripchat
- imlive

## Pagination

 We recommend to use pagination with a maximum of 12 performers by page for best performance. The higher the number of performers the longer the response time.

### Query parameters for pagination

Parameter	Type	Required	Description	Default
page	number	No	Page number for pagination	1
size	number	No	Number of performers per page	1

### Examples

- Request the first 6 performers
  - `&page=1`
  - `&size=6`

```
1 https://performersex-api.pcvdaa.com/performers-ext?token=<YOUR_TOKEN>&gender=f&live=true&lang=en&page=1size=6
```

- Request the next 6 performers
  - `&page=2`
  - `&size=6`

```
1 https://performersex-api.pcvdaa.com/performers-ext?token=<YOUR_TOKEN>&gender=f&live=true&lang=en&page=2size=6
```

## Tags list

Available tag list values:

```
1 anal
2 athletic
3 bbw
4 curvy
5 dancing
6 beautiful
7 black hair
8 blowjob
9 bdsm
10 bondage
11 deepthroat
12 dirty talk
13 big ass
14 big tits
15 blond hair
16 brown hair
17 dominant
18 findom
19 femdom
20 feet
21 housewife
22 kinky
```

```
23 milf
24 muscular
25 hairy
26 masturbation
27 petite
28 red hair
29 skinny
30 sex toy
31 squirt
32 striptease
33 submissive
34 tattoos
```

## Fallback

- The API can return empty result as an empty array and *count 0*
- The implementation of a fallback is up to the client
  - Example:
    - A request with live=true, genders=caucasian, tags=anal,athletic,bbw,curby
    - This request returns an empty array
    - The client could execute another request with less parameters to have better probability for receiving performers
      - New request with live=true, genders=caucasian
        - tags are removed

/performers-ext | /performers-ext examples

## Example Request

```
1 GET /performers-ext-test?token=<YOUR_TOKEN>&brands=streamate&page=1&size=5&sorting=score&gender=f&live=true
2 Headers:
3 x-api-key: your-api-key
```

## Example Response

```
1 {
2   "count": 213,
3   "performers": [
4     {
5       "nameClean": "misshornymiss",
6       "characteristic": {
7         "bodyTypes": [
8           "Slender"
9         ],
10        "circumcised": "",
11        "country": "CA",
12        "chest": "",
13        "gender": "f",
14        "languages": [
15          "English",
16          "French"
17        ],
18        "bustSize": "DD/E",
19        "zodiac": "Scorpio",
20        "pubicHair": "Hairy",
21        "weight": "145",
22        "bodyMods": [
23          "Tattoos"
```

```

24         ],
25         "fetishes": [
26             "Feet",
27             "Anal",
28             "Roleplay",
29             "Submissive",
30             "Depththroat"
31         ],
32         "bodyHairs": [],
33         "ethnicities": [
34             "White"
35         ],
36         "genderCode": "f",
37         "sexualPreferences": [
38             "Bisexual"
39         ],
40         "eyeColor": "Green",
41         "penisSize": "",
42         "theme": "Toys,Housewives",
43         "hairColor": "Red",
44         "age": 47,
45         "height": "65",
46         "measurements": "34-27-36\" (86-69-91cm)"
47     },
48     "score": 5,
49     "live": true,
50     "iframeFeedURL": "https://hybridclient.naiadsystems.com/purecam?
performer=misshornymiss&performerid=88333014&volumelevel=0&widescreen=true",
51     "i18n": {
52         "characteristic": {
53             "bodyTypes": [
54                 "Slender"
55             ],
56             "circumcised": "",
57             "country": "Canada",
58             "chest": "",
59             "gender": "Woman",
60             "languages": [
61                 "English",
62                 "French"
63             ],
64             "bustSize": "Large",
65             "zodiac": "Scorpio",
66             "pubicHair": "Hairy",
67             "weight": "145 lbs",
68             "bodyMods": [
69                 "tattoos"
70             ],
71             "fetishes": [
72                 "Foot Fetish",
73                 "Anal",
74                 "Roleplay",
75                 "Submissive",
76                 "Depththroat"
77             ],
78             "bodyHairs": [],
79             "ethnicities": [
80                 "Caucasian"
81             ],
82             "sexualPreferences": [
83                 "Bisexual"
84             ],
85             "eyeColor": "Green",
86             "penisSize": "",
87             "theme": "Toys,Housewives",
88             "hairColor": "Red",
89             "age": 47,
90             "height": "5'5\"",
91             "measurements": "34-27-36\" (86-69-91cm)"
92         },

```



```

93         "description": "I like to touch myself knowing that you are hard for me, making yourself happy
is a priority. I love to outdo myself for a role play, to be your submissive, but also to give you orders. I do
JOI, SPH, FOOT, ANAL, MASTURBATION, SQUIRTING.",
94         "expertise": "I do amazing role plays. Dirty talk, as well as several fetishes, GOLD SHOW, JOI,
FOOT, SPH and more. Be as precise as possible in your requests.",
95         "turnOns": "I love when there is a bond between the two of us, I love to see you cum, it
becomes my reward. Being dominated and also dominant, sensuality excites me as much as your naughty side. I
love JOI, SPH, FOOT, ANAL, MASTURBATION."
96     },
97     "updatedAt": "2025-05-07T18:37:27.019Z",
98     "customTags": [
99         "langenglish",
100        "langfrench",
101        "gc_40_49",
102        "gc_canada"
103    ],
104    "totalVideos": 54,
105    "characteristicsTags": [
106        "anal",
107        "bisexual",
108        "canada",
109        "caucasian",
110        "deepthroat",
111        "english",
112        "foot fetish",
113        "french",
114        "green eyes",
115        "hairy",
116        "large tits",
117        "mature",
118        "petite",
119        "red hair",
120        "roleplay",
121        "scorpio",
122        "slender",
123        "submissive",
124        "tattoos",
125        "white",
126        "woman"
127    ],
128    "autoTags": [
129        "blowjob",
130        "dirty talk",
131        "feet",
132        "housewife",
133        "masturbation",
134        "muscular",
135        "pussy",
136        "sex toy",
137        "squirt"
138    ],
139    "stars": 5,
140    "systemScore": 0.99631191,
141    "systemSource": "streamate",
142    "lastConnection": "2025-04-28T19:51:04.000Z",
143    "itemId": "streamate_88333014",
144    "createdDate": "2022-09-03T05:14:07.506Z",
145    "name": "misshornymiss",
146    "thumbnailUrl": "https://imagetransform.icfcdn.com/avatar/misshornymiss.webp",
147    "roomUrl": "https://t.crjumpy.com/158626/6358?
aff_sub3=TC_LW9H5CT9&aff_sub4=AT_0007&aff_sub5=SF_00606000009yQgn&file_id=614495&model=misshornymiss"
148    }
149 ]
150 }

```

# Performer Object Documentation

## Basic Information

Property	Type	Description	Example
name	string	Performer's username/display name	"misshornymiss"
nameClean	string	System standardized performer name	"misshornymiss"
itemId	string	Unique identifier (platform_id)	"streamate_88333014"
thumbnailUrl	string	Profile image URL	" <a href="https://imagetransform.icfcdn.com/avatar/misshornymiss.webp">https://imagetransform.icfcdn.com/avatar/misshornymiss.webp</a> "
roomUrl	string	Direct streaming room link	" <a href="https://t.crjumpy.com/158626/6358?...">https://t.crjumpy.com/158626/6358?... </a> "

## Status and Metrics

Property	Type	Description	Example	
live	boolean	Current streaming status	true	
score	number	Performer rating on provider system	1	
stars	number	Performer stars	5	
systemScore	number	Internal system rating (0-1)	0.99631191	
totalVideos	number	Available videos count	54	
systemSource	string	Platform identifier	"streamate"	

## Timestamps

Property	Type	Description	Example	
createdDate	string	Profile creation date (ISO)	"2022-09-03T05:14:07.506Z"	
updatedAt	string	Last profile update (ISO)	"2025-05-07T18:37:27.019Z"	
lastConnection	string	Last activity (ISO)	"2025-04-28T19:51:04.000Z"	

## Streaming Information

Property	Type	Description	Example
<code>iframeFeedURL</code>	string	Stream embed URL	<a href="https://hybridclient.naiadsystems.com/purecam?...">"https://hybridclient.naiadsystems.com/purecam?..."</a>

#### Characteristics Object

Property	Type	Description	Example
<code>age</code>	number	Performer's age	47
<code>height</code>	string	Height in inches	"65"
<code>weight</code>	string	Weight in pounds	"145"
<code>measurements</code>	string	Body measurements	"34-27-36\" (86-69-91cm)"
<code>bustSize</code>	string	Bra size	"DD/E"
<code>hairColor</code>	string	Hair color	"Red"
<code>eyeColor</code>	string	Eye color	"Green"
<code>pubicHair</code>	string	Pubic hair style	"Hairy"
<code>gender</code>	string	Gender identifier	"f"
<code>genderCode</code>	string	Single character gender code	"f"
<code>country</code>	string	Two-letter country code	"CA"
<code>languages</code>	string[]	Spoken languages	["English", "French"]
<code>ethnicities</code>	string[]	Ethnic backgrounds	["White"]
<code>bodyTypes</code>	string[]	Body type descriptors	["Slender"]
<code>bodyMods</code>	string[]	Body modifications	["Tattoos"]
<code>bodyHairs</code>	string[]	Body hair characteristics	[]
<code>zodiac</code>	string	Astrological sign	"Scorpio"
<code>sexualPreferences</code>	string[]	Sexual orientations	["Bisexual"]
<code>fetishes</code>	string[]	Fetish interests	["Feet", "Anal", "Roleplay", "Submissive", "Deepthroat"]

theme	string	Comma-separated themes	"Toys,Housewives"
-------	--------	------------------------	-------------------

### Internationalization (i18n) Object

Property	Type	Description	Example
characteristic	object	Translated characteristics	{ country: "Canada", gender: "Woman", ... }
description	string	Self-description	"I like to touch myself..."
expertise	string	Specialties	"I do amazing role plays..."
turn0ns	string	Preferences	"I love when there is a bond..."

### Tags

Property	Type	Description	Example
customTags	string[]	System-generated tags	["langenglish", "langfrench", "gc_40_49", "gc_canada"]
characteristicsTags	string[]	Characteristic-derived tags	["anal", "bisexual", "canada", ...]
autoTags	string[]	Auto-generated content tags	["blowjob", "dirty talk", "feet", ...]

### Notes

- All timestamps are in ISO 8601 format
- URLs are HTTPS
- Arrays may be empty but are never null
- Some fields may be empty strings ("") when no value is available
- The object follows a consistent structure for internationalization
- Tags are used for search and categorization purposes

## Tracking URL

⚠ Make sure your affiliate id is included into the roomUrl for a successful tracking

Each Performer object must have a **roomUrl** . It redirects to the performer's room. This url must contain your tracking parameters and the performer name as:

```
1 https://{domain}/{affiliate_id}/{}?
   {tracking_params(aff_sub,ssource,..etc..)}>&model={performerName}
```

Example on affiliate id: 1, aff\_sub1=documentation with performer **misshornymiss**

```
1 https://t.crjmpy.com/1/3?aff_sub1=documentation&model=misshornymiss
```

## Request CURL Samples

### Fetch 10 female performers with ethnicities caucasian

- request headers:
  - 'x-api-key': <YOUR\_API\_KEY> (required)
- query params:
  - token=<YOUR\_TOKEN> (required)
  - gender=f
  - page=1
  - size=10
  - ethnicities=caucasian

```
1 curl --location 'https://{url}/performers-ext/?token=
  <YOUR_TOKEN>&gender=f&ethnicities=caucasian&page1&size=10' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for displaying the feed of a specific performer


### Fetch one live female performer

- request headers:
  - 'x-api-key': <YOUR\_API\_KEY> (required)
- query params:
  - token=<YOUR\_TOKEN> (required)
  - live=true
  - gender=f
  - page=1
  - size=1

```
1 curl --location 'https://{url}/performers-ext/?
  gender=f&live=true&token=<YOUR_TOKEN>&size=1&page=1' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for displaying the feed of a specific performer

### Fetch one specific female performer

 Required: performer name AND performer's brand

- request headers:
  - 'x-api-key': <YOUR\_API\_KEY> (required)
- query params:
  - token=<YOUR\_TOKEN> (required)
  - name=<PERFORMER\_NAME>

- brands=<PERFORMER\_BRAND>

```
1 curl --location 'https://{url}/performers-ext/?
  name=misshornymiss&brands=streamate&token=<YOUR_TOKEN>&size=1&page=1' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for fetching profile information of a specific performer

### Fetch performers within age

- request headers:
  - 'x-api-key': <YOUR\_API\_KEY> (required)
- query params:
  - token=<YOUR\_TOKEN> (required)
  - ages=<AGES\_OPTION>

```
1 curl --location 'https://{url}/performers-ext/?token=
  <YOUR_TOKEN>&ages=gc_20_29&size=6&page=1' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

### Display stream feed of a live performer

#### Use case

- Display a stream feed into an iframe.
- When you click on the iframe it opens a new tab to the performer's room.
- It also attributes the user transaction to your affiliate id

#### How to

- [Fetch one live performer](#)
  - You get a response with:
    - PERFORMER\_OBJECT.iframeFeedUrl
    - PERFORMER\_OBJECT.roomUrl
- Create a index.html file
- Copy the code below
- Paste it in the index.html
- Replace the
  - PERFORMER\_OBJECT.roomUrl by the roomUrl you received in the response
  - PERFORMER\_OBJECT.iframeFeedUrl by the iframeFeedUrl you received in the response
- Open the index.html in a browser (Google Chrome, Safari, Firefox ..etc..)
- Interact with the feed

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="UTF-8" />
5     <meta name="viewport" content="width=device-width, initial-
      scale=1.0" />
6     <title>Test Iframe</title>
7     <style>
```

```

8      body {
9          margin: 0;
10         padding: 0;
11         height: 100vh;
12         overflow: hidden;
13     }
14
15     #testLink {
16         cursor: pointer;
17         display: block;
18         width: 100%;
19         height: 100vh;
20         position: relative;
21         text-decoration: none;
22     }
23
24     #testIframe {
25         pointer-events: none;
26         display: block;
27         width: 100%;
28         height: 100%;
29         border: none;
30     }
31 </style>
32 </head>
33 <body>
34     <a
35         id="testLink"
36         href="PERFORMER_OBJECT.roomUrl"
37         target="_blank"
38     >
39         <iframe
40             id="testIframe"
41             src="PERFORMER_OBJECT.iframeFeedUrl"
42             frameborder="0"
43             allow="autoplay; encrypted-media"
44             sandbox="allow-scripts allow-same-origin allow-forms allow-
popups allow-popups-to-escape-sandbox"
45         ></iframe>
46     </a>
47 </body>
48 </html>
49

```

## Performance


### Response time

- The more models are requested, the longer the response time
  - Latency is increased by the network requests and payload processing

### Caching

- Performers data is cached for 30seconds

## Legal & Compliance Requirements

 Use of the *Performers API* is subject to the following requirements. By integrating and using this API, you acknowledge and agree to the terms outlined below.

### Terms of Service & Ethical Content Compliance

All affiliates must adhere to CrakRevenue's [Terms of Service](#) at all times.

### DMCA Compliance

Affiliates must include a valid and accessible DMCA notice or takedown procedure on all websites using the API and respond to DMCA takedown requests promptly, removing any infringing content without undue delay.

---

### API Key and Token Usage Restrictions

- API Tokens are domain-bound. They are issued for specific, authorized websites only for which affiliates are the owner.
  - Tokens cannot be reused or transferred to other websites without prior written consent from CrakRevenue.
  - API Keys may be revoked at CrakRevenue's discretion at any time, with or without notice, especially in cases of abuse or non-compliance.
- 

### Enforcement

Non-compliance with any of the above may result in:

- Immediate revocation of access to the API
- Suspension of affiliate accounts
- Legal action, if warranted

If you have questions or need clarification, please contact your account manager or reach out to our compliance team.

### Change Log

Version	Date	By whom	Description
1.5	2025-08-13	Support team	Add example on how to use <i>iframeFeedUrl</i>
1.4	2025-08-06	Legal team	Add legal & compliance requirements
1.3	2025-07-22	Support team	Add ages in query parameters Add error response code Add fallback information
1.2	2025-07-14	Support team	Update on <i>name</i> filter
1.1	2025-07-01	Support team	Performance optimization. Available value listing.
1.0	2025-05-23	Support team	First deployment of the endpoint



