

Performers Ext API Documentation

- Performers Ext API Documentation
 - Endpoint
 - Authentication
 - Lite Version
 - Tracking URL
 - Example on affiliate id: 1, aff_sub1=documentation with performer misshornymiss
 - Request CURL Samples
 - Fetch 10 female performers with ethnicities caucasian
 - Fetch one live female performer
 - Fetch one specific female performer
 - Fetch performers within age
 - Display stream feed of a live performer
 - Use case
 - How to
 - Performance
 - Response time
 - Caching
 - Legal & Compliance Requirements
 - Terms of Service & Ethical Content Compliance
 - DMCA Compliance
 - API Key and Token Usage Restrictions
 - Enforcement
 - Change Log

Endpoint

```
1 GET /performers-ext
```

- URL: <https://performersext-api.pcvdaa.com/>

Authentication

- Required Header: `x-api-key`

⚠ This x-api-key must be provided by the support team

- Required Query Parameter: `token`

⚠ This token must be provided by the support team

- Required Header: *User-Agent*

/performers-ext /performers-ext query parameters				
Query Parameters				
Parameter	Type	Required	Description	Default

token	string	Yes	Authentication token for accessing performer data	
brands	string	No	Comma-separated list of brands to filter (e.g., "streamate,chaturbate")	<i>all brands available to your token</i>
page	number	No	Page number for pagination . Must be ≥ 1	1
size	number	No	Number of items per page Must be ≥ 1 Must be ≤ 100 If > 100 , only 100 items will be received still	1
sorting	string	No	Sorting method Available values: • score: use <i>system_score</i> based on performer's live efficiency to foster traffic and spending • relevance • mostRecent • alphabetical • topRated • random	score
gender	string	No	Gender filter Available values: • f: female • m: male • c: couple • t: trans	f

live	boolean	No	Filter for live performers	false
tags	string	No	Comma-separated list of tags to filter (e.g., "athletic,curvy..etc") (tag_list)	
ethnicities	string	No	Comma-separated list of ethnicities to filter (e.g., "caucasian,asia") Available values in order of average number of models: • caucasian • ebony • hispanic • asian • indian • arab • native american	
ages	string	No	Comma-separated list of ethnicities to filter (e.g., "gc_18_19,gc_20_29") Available values in order of average number of models: • gc_18_19 • gc_20_29 • gc_30_39 • gc_40_49 • gc_50_plus	
lang	string	No	Language preference for Internationalization response object Available values: • en: english	en

			• es: spanish • fr: french • it: italian • de: german • pt: portuguese	
name	string	No	performer's name clean to fetch example: • misshornymiss	

Response

Success Response (200 OK)

```
1 {
2   "count": <number of performers matching your query>,
3   "performers": [
4     {
5       "nameClean": "string",
6       "characteristic": {
7         "bodyTypes": "string[]",
8         ...,
9         "measurements": "34-27-36\" (86-69-91cm)"
10      },
11      "score": "number",
12      "live": "boolean",
13      "iframeFeedURL": "string",
14      "roomUrl": "string",
15      "i18n": {
16        "characteristic": "string",
17        "description": "string",
18        "expertise": "string",
19        ...,
20        "turnOns": "string"
21      },
22      "updatedAt": "string",
23      "customTags": "string[]",
24      "totalVideos": "number",
25      "characteristicsTags": "string[]",
26      "autoTags": "string[]",
27      "stars": "number",
28      "systemScore": "number",
29      "systemSource": "string",
30      "lastConnection": "string",
31      "itemId": "string",
32      "createdDate": "string",
33      "name": "string",
34      "thumbnailUrl": "string",
35      "streamFeedUrl": "string"
36    }
37  ]
38 }
```

Error Responses

403 Forbidden

```
1 {
2   "message": "Forbidden"
3 }
```

Occurs when:

- No API key is provided
- API key is invalid

403 Forbidden

- HTML response

```
1 <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
2 <HTML><HEAD><META HTTP-EQUIV="Content-Type" CONTENT="text/html; charset=iso-8859-1">
3 <TITLE>ERROR: The request could not be satisfied</TITLE>
```

Occurs when:

- No *User-Agent* header is available

401 Unauthorized: brands not allowed

```
1 {
2   "message": "Unauthorized: brands not allowed"
3 }
```

Occurs when:

- brands invalid

401 Unauthorized: No token provided

```
1 {
2   "message": "Unauthorized: No token provided"
3 }
```

Occurs when:

- No token is found

401 Unauthorized: Failed to retrieve token data

```
1 {
2   "message": "Unauthorized: Failed to retrieve token data"
3 }
```

Occurs when:

- Token invalid

400 Bad Request

```
1 {
2   "error": "string"
3 }
```

Occurs when the performers service returns an error

500 Internal Server Error

```
1 {
2   "message": "Internal Server Error"
3 }
```

Occurs when there's an error fetching performers data

Supported Brands

 You can only fetched performers from the brands you are allowed to use

- streamate
- mfc (myfreecams)

- chaturbate
- bongacash
- awempire
- stripchat
- imlive

Pagination

⚠ We recommend to use pagination with a maximum of 12 performers by page for best performance. The higher the number of performers the longer the response time.

Query parameters for pagination

Parameter	Type	Required	Description	Default
page	number	No	Page number for pagination	1
size	number	No	Number of performers per page	1

Examples

- Request the first 6 performers
 - `&page=1`
 - `&size=6`

```
1 https://performersex-api.pcvdaa.com/performers-ext?token=<YOUR_TOKEN>&gender=f&live=true&lang=en&page=1size=6
```

- Request the next 6 performers
 - `&page=2`
 - `&size=6`

```
1 https://performersex-api.pcvdaa.com/performers-ext?token=<YOUR_TOKEN>&gender=f&live=true&lang=en&page=2size=6
```

Tags list

Available tag list values:

- 1 anal
- 2 athletic
- 3 bbw
- 4 curvy
- 5 dancing
- 6 beautiful
- 7 black hair
- 8 blowjob
- 9 bdsm
- 10 bondage
- 11 deepthroat
- 12 dirty talk
- 13 big ass
- 14 big tits
- 15 blond hair
- 16 brown hair
- 17 dominant
- 18 findom
- 19 femdom

```
20 feet
21 housewife
22 kinky
23 milf
24 muscular
25 hairy
26 masturbation
27 petite
28 red hair
29 skinny
30 sex toy
31 squirt
32 striptease
33 submissive
34 tattoos
```

Fallback

- The API can return empty result as an empty array and *count 0*
- The implementation of a fallback is up to the client
 - Example:
 - A request with `live=true`, `genders=caucasian`, `tags=anal,athletic,bbw,curby`
 - This request returns an empty array
 - The client could execute another request with less parameters to have better probability for receiving performers
 - New request with `live=true`, `genders=caucasian`
 - tags are removed

/performers-ext | /performers-ext examples

Example Request

```
1 GET /performers-ext-test?token=<YOUR_TOKEN>&brands=streamate&page=1&size=5&sorting=score&gender=f&live=true
2 Headers:
3   x-api-key: your-api-key
```

Example Response

Performer lite attributes

```
1 {
2   "count": 1,
3   "performers": [
4     {
5       "nameClean": "misshornymiss",
6       "characteristic": {
7         "bodyTypes": [
8           "Slender"
9         ],
10        "country": "CA",
11        "gender": "f",
12        "languages": [
13          "English",
14          "French"
15        ],
16        "bustSize": "DD/E",
17        "ethnicities": [
18          "White"
19        ],
20      }
21    ]
22  }
```

```

20         "genderCode": "f",
21         "eyeColor": "Green",
22         "hairColor": "Red",
23         "age": 47
24     },
25     "live": false,
26     "iframeFeedURL": "",
27     "liveSnapshotURL": "",
28     "i18n": {},
29     "customTags": [
30         "langenglish",
31         "langfrench",
32         "gc_40_49",
33         "gc_canada"
34     ],
35     "characteristicsTags": [
36         "anal",
37         "bisexual",
38         "canada",
39         "caucasian",
40         "deepthroat",
41         "english",
42         "foot fetish",
43         "french",
44         "green eyes",
45         "hairy",
46         "large tits",
47         "mature",
48         "petite",
49         "red hair",
50         "roleplay",
51         "scorpio",
52         "slender",
53         "submissive",
54         "tattoos",
55         "white",
56         "woman"
57     ],
58     "autoTags": [
59         "blowjob",
60         "dirty talk",
61         "feet",
62         "housewife",
63         "masturbation",
64         "muscular",
65         "pussy",
66         "sex toy",
67         "squirt",
68         "caucasian"
69     ],
70     "stars": 5,
71     "systemSource": "streamate",
72     "itemId": "streamate_88333014",
73     "createdAt": "2022-09-03T05:14:07.506Z",
74     "name": "misshornymiss",
75     "thumbnailUrl": "https://imagetransform.icfcdn.com/avatar/misshornymiss.webp",
76     "roomUrl": "https://t.crjumpy.com/158626/6358?
aff_sub4=AT_0007&aff_sub5=SF_0060G0000041mDN&file_id=656678&model=misshornymiss"
77     }
78 ]
79 }

```

Performer full attributes

```

1  {
2      "count": 213,
3      "performers": [
4          {
5              "nameClean": "misshornymiss",
6              "characteristic": {
7                  "bodyTypes": [

```



```

8         "Slender"
9     ],
10    "circumcised": "",
11    "country": "CA",
12    "chest": "",
13    "gender": "f",
14    "languages": [
15        "English",
16        "French"
17    ],
18    "bustSize": "DD/E",
19    "zodiac": "Scorpio",
20    "pubicHair": "Hairy",
21    "weight": "145",
22    "bodyMods": [
23        "Tattoos"
24    ],
25    "fetishes": [
26        "Feet",
27        "Anal",
28        "Roleplay",
29        "Submissive",
30        "Depththroat"
31    ],
32    "bodyHairs": [],
33    "ethnicities": [
34        "White"
35    ],
36    "genderCode": "f",
37    "sexualPreferences": [
38        "Bisexual"
39    ],
40    "eyeColor": "Green",
41    "penisSize": "",
42    "theme": "Toys,Housewives",
43    "hairColor": "Red",
44    "age": 47,
45    "height": "65",
46    "measurements": "34-27-36\" (86-69-91cm)"
47    },
48    "score": 5,
49    "live": true,
50    "iframeFeedURL": "https://hybridclient.naiadsystems.com/purecam?
performer=misshornymiss&performerid=88333014&volumelevel=0&widescreen=true",
51    "i18n": {
52        "characteristic": {
53            "bodyTypes": [
54                "Slender"
55            ],
56            "circumcised": "",
57            "country": "Canada",
58            "chest": "",
59            "gender": "Woman",
60            "languages": [
61                "English",
62                "French"
63            ],
64            "bustSize": "Large",
65            "zodiac": "Scorpio",
66            "pubicHair": "Hairy",
67            "weight": "145 lbs",
68            "bodyMods": [
69                "tattoos"
70            ],
71            "fetishes": [
72                "Foot Fetish",
73                "Anal",
74                "Roleplay",
75                "Submissive",
76                "Depththroat"
77            ],

```

```
78         "bodyHairs": [],
79         "ethnicities": [
80             "Caucasian"
81         ],
82         "sexualPreferences": [
83             "Bisexual"
84         ],
85         "eyeColor": "Green",
86         "penisSize": "",
87         "theme": "Toys,Housewives",
88         "hairColor": "Red",
89         "age": 47,
90         "height": "5'5\"",
91         "measurements": "34-27-36\" (86-69-91cm)"
92     },
93     "description": "I like to touch myself knowing that you are hard for me, making yourself happy
is a priority. I love to outdo myself for a role play, to be your submissive, but also to give you orders. I do
JOI, SPH, FOOT, ANAL, MASTURBATION, SQUIRTING.",
94     "expertise": "I do amazing role plays. Dirty talk, as well as several fetishes, GOLD SHOW, JOI,
FOOT, SPH and more. Be as precise as possible in your requests.",
95     "turnOns": "I love when there is a bond between the two of us, I love to see you cum, it
becomes my reward. Being dominated and also dominant, sensuality excites me as much as your naughty side. I
love JOI, SPH, FOOT, ANAL, MASTURBATION."
96 },
97     "updatedAt": "2025-05-07T18:37:27.019Z",
98     "customTags": [
99         "langenglish",
100         "langfrench",
101         "gc_40_49",
102         "gc_canada"
103     ],
104     "totalVideos": 54,
105     "characteristicsTags": [
106         "anal",
107         "bisexual",
108         "canada",
109         "caucasian",
110         "deepthroat",
111         "english",
112         "foot fetish",
113         "french",
114         "green eyes",
115         "hairy",
116         "large tits",
117         "mature",
118         "petite",
119         "red hair",
120         "roleplay",
121         "scorpio",
122         "slender",
123         "submissive",
124         "tattoos",
125         "white",
126         "woman"
127     ],
128     "autoTags": [
129         "blowjob",
130         "dirty talk",
131         "feet",
132         "housewife",
133         "masturbation",
134         "muscular",
135         "pussy",
136         "sex toy",
137         "squirt"
138     ],
139     "stars": 5,
140     "systemScore": 0.99631191,
141     "systemSource": "streamate",
142     "lastConnection": "2025-04-28T19:51:04.000Z",
143     "itemId": "streamate_88333014",
```

```

144         "createdAt": "2022-09-03T05:14:07.506Z",
145         "name": "misshornymiss",
146         "thumbnailUrl": "https://imagetransform.icfcdn.com/avatar/misshornymiss.webp",
147         "roomUrl": "https://t.crjumpy.com/158626/6358?
aff_sub3=TC_LW9H5CT9&aff_sub4=AT_0007&aff_sub5=SF_00606000009yQgn&file_id=614495&model=misshornymiss"
148     }
149 ]
150 }

```

Lite Version

To improve performance (response latency, response payload), a more concise performer object can be retrieved from the API.

 Lite version is enabled by default.

To use the full version of the performer response, please contact your affiliate manager.

/performers-ext | /performers-ext Performer Object documentation

Performer Object Documentation

Basic Information

Property	Type	Description	Included in lite version	Example
<code>name</code>	string	Performer's username/display name	✓	"misshornymiss"
<code>nameClean</code>	string	System standardized performer name	✓	"misshornymiss"
<code>itemId</code>	string	Unique identifier (platform_id)	✓	"streamate_88333014"
<code>thumbnailUrl</code>	string	Profile image URL	✓	" https://imagetransform.icfcdn.com/avatar/misshornymiss.webp "
<code>roomUrl</code>	string	Direct streaming room link	✓	" https://t.crjumpy.com/158626/6358?... "

Status and Metrics

Property	Type	Description	Included in lite version	Example
<code>live</code>	boolean	Current streaming status	✓	true
<code>score</code>	number	Performer rating on provider system	✗	1

stars	number	Performer stars	✓	5
systemScore	number	Internal system rating (0-1)	✗	0.99631191
totalVideos	number	Available videos count	✗	54
systemSource	string	Platform identifier	✓	"streamate"

Timestamps

Property	Type	Description	Included in lite version	Example
createdDate	string	Profile creation date (ISO)	✓	"2022-09-03T05:14:07.506Z"
updatedAt	string	Last profile update (ISO)	✗	"2025-05-07T18:37:27.019Z"
lastConnection	string	Last activity (ISO)	✗	"2025-04-28T19:51:04.000Z"

Streaming Information

Property	Type	Description	Included in lite version	Example
iframeFeedURL	string	Stream embed URL	✓	" https://hybridclient.naiadsystems.com/purcam?... "

Characteristics Object

Property	Type	Description	Included in lite version	Example
age	number	Performer's age	✓	47
height	string	Height in inches	✗	"65"
weight	string	Weight in pounds	✗	"145"
measurements	string	Body measurements	✗	"34-27-36\" (86-69-91cm)"
bustSize	string	Bra size	✓	"DD/E"
hairColor	string	Hair color	✓	"Red"

eyeColor	string	Eye color	✓	"Green"
pubicHair	string	Pubic hair style	✗	"Hairy"
gender	string	Gender identifier	✓	"f"
genderCode	string	Single character gender code	✓	"f"
country	string	Two-letter country code	✓	"CA"
languages	string[]	Spoken languages	✓	["English", "French"]
ethnicities	string[]	Ethnic backgrounds	✓	["White"]
bodyTypes	string[]	Body type descriptors	✓	["Slender"]
bodyMods	string[]	Body modifications	✗	["Tattoos"]
bodyHairs	string[]	Body hair characteristics	✗	[]
zodiac	string	Astrological sign	✗	"Scorpio"
sexualPreferences	string[]	Sexual orientations	✗	["Bisexual"]
fetishes	string[]	Fetish interests	✗	["Feet", "Anal", "Roleplay", "Submissive", "Deepthroat"]
theme	string	Comma-separated themes	✗	"Toys,Housewives"

Internationalization (i18n) Object

Property	Type	Description	Included in lite version	Example
characteristics	object	Translated characteristics	✓ NB: same attributes as in the list	{ country: "Canada", gender: "Woman", ... }
description	string	Self-description	✗	"I like to touch myself..."
expertise	string	Specialties	✗	"I do amazing role plays..."

turn0ns	string	Preferences	✗	"I love when there is a bond..."
---------	--------	-------------	---	----------------------------------

Tags

Property	Type	Description	Included in lite version	Example
customTags	string[]	System-generated tags	✓	["langenglish", "langfrench", "gc_40_49", "gc_canada"]
characteristicsTags	string[]	Characteristic-derived tags	✓	["anal", "bisexual", "canada", ...]
autoTags	string[]	Auto-generated content tags	✓	["blowjob", "dirty talk", "feet", ...]

Notes

- All timestamps are in ISO 8601 format
- URLs are HTTPS
- Arrays may be empty but are never null
- Some fields may be empty strings ("") when no value is available
- The object follows a consistent structure for internationalization
- Tags are used for search and categorization purposes

Tracking URL

⚠ Make sure your affiliate id is included into the roomUrl for a successful tracking

Each Performer object must have a `roomUrl`. It redirects to the performer's room. This url must contain your tracking parameters and the performer name as:

```
1 https://{domain}/{affiliate_id}/{}?{tracking_params(aff_sub,ssource,..etc..)}>&model={performerName}
```

Example on affiliate id: 1, aff_sub1=documentation with performer `misshornymiss`

```
1 https://t.crjmpy.com/1/3?aff_sub1=documentation&model=misshornymiss
```

Request CURL Samples

Fetch 10 female performers with ethnicities caucasian

- request headers:

- 'x-api-key': <YOUR_API_KEY> (required)
- query params:
 - token=<YOUR_TOKEN> (required)
 - gender=f
 - page=1
 - size=10
 - ethnicities=caucasian

```
1 curl --location 'https://{url}/performers-ext/?token=
  <YOUR_TOKEN>&gender=f&ethnicities=caucasian&page1&size=10' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for displaying the feed of a specific performer

Fetch one live female performer

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)
- query params:
 - token=<YOUR_TOKEN> (required)
 - live=true
 - gender=f
 - page=1
 - size=1

```
1 curl --location 'https://{url}/performers-ext/?
  gender=f&live=true&token=<YOUR_TOKEN>&size=1&page=1' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for displaying the feed of a specific performer

Fetch one specific female performer

 Required: performer name AND performer's brand

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)
- query params:
 - token=<YOUR_TOKEN> (required)
 - name=<PERFORMER_NAME>
 - brands=<PERFORMER_BRAND>

```
1 curl --location 'https://{url}/performers-ext/?
  name=misshornymiss&brands=streamate&token=<YOUR_TOKEN>&size=1&page=1' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for fetching profile information of a specific performer

Fetch performers within age

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)

- query params:
 - token=<YOUR_TOKEN> (required)
 - ages=<AGES_OPTION>

```
1 curl --location 'https://{url}/performers-ext/?token=
  <YOUR_TOKEN>&ages=gc_20_29&size=6&page=1' \
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Display stream feed of a live performer

Use case

- Display a stream feed into an iframe.
- When you click on the iframe it opens a new tab to the performer's room.
- It also attributes the user transaction to your affiliate id

How to

- [Fetch one live performer](#)
 - You get a response with:
 - `PERFORMER_OBJECT.iframeFeedUrl`
 - `PERFORMER_OBJECT.roomUrl`
- Create a index.html file
- Copy the code below
- Paste it in the index.html
- Replace the
 - `PERFORMER_OBJECT.roomUrl` by the roomUrl you received in the response
 - `PERFORMER_OBJECT.iframeFeedUrl` by the iframeFeedUrl you received in the response
- Open the index.html in a browser (Google Chrome, Safari, Firefox ..etc..)
- Interact with the feed

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="UTF-8" />
5     <meta name="viewport" content="width=device-width, initial-
6       scale=1.0" />
7     <title>Test Iframe</title>
8     <style>
9       body {
10         margin: 0;
11         padding: 0;
12         height: 100vh;
13         overflow: hidden;
14       }
15       #testLink {
16         cursor: pointer;
17         display: block;
18         width: 100%;
19         height: 100vh;
20         position: relative;
21         text-decoration: none;
22       }
23     </style>
```



```

24     #testIframe {
25         pointer-events: none;
26         display: block;
27         width: 100%;
28         height: 100%;
29         border: none;
30     }
31 </style>
32 </head>
33 <body>
34     <a
35         id="testLink"
36         href="PERFORMER_OBJECT.roomUrl"
37         target="_blank"
38     >
39         <iframe
40             id="testIframe"
41             src="PERFORMER_OBJECT.iframeFeedUrl"
42             frameborder="0"
43             allow="autoplay; encrypted-media"
44             sandbox="allow-scripts allow-same-origin allow-forms allow-
popups allow-popups-to-escape-sandbox"
45         ></iframe>
46     </a>
47 </body>
48 </html>
49

```

Performance

Response time

- The more models are requested, the longer the response time
 - Latency is increased by the network requests and payload processing

Caching

- Performers data is cached for 30seconds

Legal & Compliance Requirements

 Use of the *Performers API* is subject to the following requirements. By integrating and using this API, you acknowledge and agree to the terms outlined below.

Terms of Service & Ethical Content Compliance

All affiliates must adhere to CrakRevenue's [Terms of Service](#) at all times.

All content distributed or displayed through websites using this API must comply with CrakRevenue's [Ethical Content Policy](#), with regards to non-compliant, illegal, harmful and forbidden content that is strictly forbidden.

DMCA Compliance

Affiliates must include a valid and accessible DMCA notice or takedown procedure on all websites using the API and respond to DMCA takedown requests promptly, removing any infringing content without undue delay.

API Key and Token Usage Restrictions

- API Tokens are domain-bound. They are issued for specific, authorized websites only for which affiliates are the owner.
- Tokens cannot be reused or transferred to other websites without prior written consent from CrakRevenue.
- API Keys may be revoked at CrakRevenue's discretion at any time, with or without notice, especially in cases of abuse or non-compliance.

Enforcement

Non-compliance with any of the above may result in:

- Immediate revocation of access to the API
- Suspension of affiliate accounts
- Legal action, if warranted

If you have questions or need clarification, please contact your account manager or reach out to our compliance team.

Change Log

Version	Date	By whom	Description
1.6	2025-10-01	Support team	Lite version is enabled by default
1.5	2025-08-13	Support team	Add example on how to use <i>iframeFeedUrl</i>
1.4	2025-08-06	Legal team	Add legal & compliance requirements
1.3	2025-07-22	Support team	Add ages in query parameters Add error response code Add fallback information
1.2	2025-07-14	Support team	Update on <i>name</i> filter
1.1	2025-07-01	Support team	Performance optimization. Available value listing.
.1.0	2025-05-23	Support team	First deployment of the endpoint