

/performers-ext - External documentation

Performers Ext API Documentation

Performers Ext API Documentation

Endpoint

Authentication

Lite Version

Tracking URL

Example on affiliate id: 1, aff_sub1=documentation with performer misshornymiss

Request CURL Samples

Fetch 10 female performers with ethnicities caucasian

Fetch one live female performer

Fetch one specific female performer

Fetch performers within age

Display stream feed of a live performer

Use case

How to

Performance

Response time

Caching

Legal & Compliance Requirements

Terms of Service & Ethical Content Compliance

DMCA Compliance

API Key and Token Usage Restrictions

Enforcement

Change Log

Endpoint

```
1 | GET /performers-ext
```

- URL: <https://performerext-api.pcvdaa.com/>

Authentication

- Required Header: `x-api-key`

⚠ This x-api-key must be provided by the support team

- Required Query Parameter: `token`

⚠ This token must be provided by the support team

- Required Header: *User-Agent*

Query Parameters

Parameter	Type	Required	Description	Default
token	string	Yes	Authentication token for accessing performer data	
brands	string	No	Comma-separated list of brands to filter (e.g., "streamate,chatu rbate")	<i>all brands available to your token</i>
page	number	No	Page number for pagination . Must be ≥ 1	1
size	number	No	Number of items per page Must be ≥ 1 Must be ≤ 100 If > 100 , only 100 items will be received still	1
sorting	string	No	Sorting method Available values: <ul style="list-style-type: none"> score: use <i>system_score</i> based on performer's live efficiency to foster traffic and spending relevance 	score

			<ul style="list-style-type: none"> • mostRecent • alphabetical • topRated • random 	
gender	string	No	Gender filter Available values: <ul style="list-style-type: none"> • f: female • m: male • c: couple • t: trans 	f
live	boolean	No	Filter for live performers	false
tags	string	No	Comma-separated list of tags to filter (e.g., "athletic,curvy..etc") (tag list)	
ethnicities	string	No	Comma-separated list of ethnicities to filter (e.g., "caucasian,asia") Available values in order of average number of models: <ul style="list-style-type: none"> • caucasian • ebony • hispanic • asian • indian 	

			<ul style="list-style-type: none"> • arab • native american 	
ages	string	No	<p>Comma-separated list of ethnicities to filter (e.g., "gc_18_19,gc_20_29")</p> <p>Available values in order of average number of models:</p> <ul style="list-style-type: none"> • gc_18_19 • gc_20_29 • gc_30_39 • gc_40_49 • gc_50_plus 	
lang	string	No	<p>Language preference for Internationalization on response object</p> <p>Available values:</p> <ul style="list-style-type: none"> • en: english • es: spanish • fr: french • it: italian • de: german • pt: portuguese 	en
name	string	No	performer's name clean to fetch	

example:

- misshornymiss

Response

Success Response (200 OK)

```
1  {
2  "count": <number of performers matching your query>,
3  "performers": [
4    {
5      "nameClean": "string",
6      "characteristic": {
7        "bodyTypes": "string[]",
8        ...,
9        "measurements": "34-27-36\" (86-69-91cm)"
10     },
11     "score": "number",
12     "live": "boolean",
13     "iframeFeedURL": "string",
14     "roomUrl": "string",
15     "i18n": {
16       "characteristic": "string",
17       "description": "string",
18       "expertise": "string",
19       ...,
20       "turnOns": "string"
21     },
22     "updatedAt": "string",
23     "customTags": "string[]",
24     "totalVideos": "number",
25     "characteristicsTags": "string[]",
26     "autoTags": "string[]",
27     "stars": "number",
28     "systemScore": "number",
29     "systemSource": "string",
30     "lastConnection": "string",
31     "itemId": "string",
32     "createdDate": "string",
33     "name": "string",
34     "thumbnailUrl": "string",
35     "streamFeedUrl": "string"
36   }
37 ]
38 }
```

Error Responses

403 Forbidden

```
1  {
2  "message": "Forbidden"
3  }
```

Occurs when:

- No API key is provided
- API key is invalid

403 Forbidden

- HTML response

```
1 | <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"  
  | "http://www.w3.org/TR/html4/loose.dtd">  
2 | <HTML><HEAD><META HTTP-EQUIV="Content-Type" CONTENT="text/html; charset=iso-8859-1">  
3 | <TITLE>ERROR: The request could not be satisfied</TITLE>
```

Occurs when:

- No *User-Agent* header is available

401 Unauthorized: brands not allowed

```
1 | {  
2 |   "message": "Unauthorized: brands not allowed"  
3 | }
```

Occurs when:

- brands invalid

401 Unauthorized: No token provided

```
1 | {  
2 |   "message": "Unauthorized: No token provided"  
3 | }
```

Occurs when:

- No token is found

401 Unauthorized: Failed to retrieve token data

```
1 | {  
2 |   "message": "Unauthorized: Failed to retrieve token data"  
3 | }
```

Occurs when:

- Token invalid

400 Bad Request

```
1 | {  
2 |   "error": "string"  
3 | }
```

Occurs when the performers service returns an error

500 Internal Server Error

```
1 | {  
2 |   "message": "Internal Server Error"  
3 | }
```

Occurs when there's an error fetching performers data

Supported Brands

⚠ You can only fetched performers from the brands you are allowed to use

- streamate
- mfc (myfreecams)
- chaturbate
- bongacash
- awempire
- stripchat
- imlive
- camsoda
- cam4
- xcams

Pagination

⚠ We recommend to use pagination with a maximum of 12 performers by page for best performance. The higher the number of performers the longer the response time.

Query parameters for pagination

Parameter	Type	Required	Description	Default
page	number	No	Page number for pagination	1
size	number	No	Number of performers per page	1

Examples

- Request the first 6 performers
 - `&page=1`
 - `&size=6`

```
1 | https://performerext-api.pcvdaa.com/performers-ext?token=  
  | <YOUR_TOKEN>&gender=f&live=true&lang=en&page=1size=6
```

- Request the next 6 performers
 - `&page=2`

◦ `&size=6`

```
1 https://performersex-api.pcvdaa.com/performers-ext?token=  
  <YOUR_TOKEN>&gender=f&live=true&lang=en&page=2&size=6
```

Tags list

Available tag list values:

```
1 anal  
2 athletic  
3 bbw  
4 curvy  
5 dancing  
6 beautiful  
7 black hair  
8 blowjob  
9 bdsm  
10 bondage  
11 deepthroat  
12 dirty talk  
13 big ass  
14 big tits  
15 blond hair  
16 brown hair  
17 dominant  
18 findom  
19 femdom  
20 feet  
21 housewife  
22 kinky  
23 milf  
24 muscular  
25 hairy  
26 masturbation  
27 petite  
28 red hair  
29 skinny  
30 sex toy  
31 squirt  
32 striptease  
33 submissive  
34 tattoos
```

Fallback

- The API can return empty result as an empty array and *count 0*
- The implementation of a fallback is up to the client
 - Example:
 - A request with `live=true`, `genders=caucasian`, `tags=anal,athletic,bbw,curby`
 - This request returns an empty array
 - The client could execute another request with less parameters to have better probability for receiving performers

- New request with live=true, genders=caucasian
 - tags are removed

/performers-ext | /performers-ext examples

Example Request

```
1 GET /performers-ext-test?token=
  <YOUR_TOKEN>&brands=streamate&page=1&size=5&sorting=score&gender=f&live=true
2 Headers:
3   x-api-key: your-api-key
```

Example Response

Performer lite attributes

```
1 {
2   "count": 1,
3   "performers": [
4     {
5       "nameClean": "misshornymiss",
6       "characteristic": {
7         "bodyTypes": [
8           "Slender"
9         ],
10        "country": "CA",
11        "gender": "f",
12        "languages": [
13          "English",
14          "French"
15        ],
16        "bustSize": "DD/E",
17        "ethnicities": [
18          "White"
19        ],
20        "genderCode": "f",
21        "eyeColor": "Green",
22        "hairColor": "Red",
23        "age": 47
24      },
25      "live": false,
26      "iframeFeedURL": "",
27      "liveSnapshotURL": "",
28      "i18n": {},
29      "customTags": [
30        "langenglish",
31        "langfrench",
32        "gc_40_49",
33        "gc_canada"
34      ],
35      "characteristicsTags": [
36        "anal",
37        "bisexual",
38        "canada",
39        "caucasian",
40        "depththroat",
41        "english",
42        "foot fetish",
43        "french",
```

```

44         "green eyes",
45         "hairy",
46         "large tits",
47         "mature",
48         "petite",
49         "red hair",
50         "roleplay",
51         "scorpio",
52         "slender",
53         "submissive",
54         "tattoos",
55         "white",
56         "woman"
57     ],
58     "autoTags": [
59         "blowjob",
60         "dirty talk",
61         "feet",
62         "housewife",
63         "masturbation",
64         "muscular",
65         "pussy",
66         "sex toy",
67         "squirt",
68         "caucasian"
69     ],
70     "stars": 5,
71     "systemSource": "streamate",
72     "itemId": "streamate_88333014",
73     "createdDate": "2022-09-03T05:14:07.506Z",
74     "name": "misshornymiss",
75     "thumbnailUrl": "https://imagertransform.icfcdn.com/avatar/misshornymiss.webp",
76     "roomUrl": "https://t.crjmpy.com/158626/6358?
aff_sub4=AT_0007&aff_sub5=SF_0060G000004lmdN&file_id=656678&model=misshornymiss"
77     }
78 ]
79 }

```

Performer full attributes

```

1  {
2    "count": 213,
3    "performers": [
4      {
5        "nameClean": "misshornymiss",
6        "characteristic": {
7          "bodyTypes": [
8            "Slender"
9          ],
10         "circumcised": "",
11         "country": "CA",
12         "chest": "",
13         "gender": "f",
14         "languages": [
15           "English",
16           "French"
17         ],
18         "bustSize": "DD/E",
19         "zodiac": "Scorpio",
20         "pubicHair": "Hairy",
21         "weight": "145",
22         "bodyMods": [
23           "Tattoos"
24         ],
25         "fetishes": [
26           "Feet",

```

```

27         "Anal",
28         "Roleplay",
29         "Submissive",
30         "Depththroat"
31     ],
32     "bodyHairs": [],
33     "ethnicities": [
34         "White"
35     ],
36     "genderCode": "f",
37     "sexualPreferences": [
38         "Bisexual"
39     ],
40     "eyeColor": "Green",
41     "penisSize": "",
42     "theme": "Toys,Housewives",
43     "hairColor": "Red",
44     "age": 47,
45     "height": "65",
46     "measurements": "34-27-36\" (86-69-91cm)"
47 },
48 "score": 5,
49 "live": true,
50 "iframeFeedURL": "https://hybridclient.naiadsystems.com/purecam?
performer=misshornymiss&performerid=88333014&volumelevel=0&widescreen=true",
51 "i18n": {
52     "characteristic": {
53         "bodyTypes": [
54             "Slender"
55         ],
56         "circumcised": "",
57         "country": "Canada",
58         "chest": "",
59         "gender": "Woman",
60         "languages": [
61             "English",
62             "French"
63         ],
64         "bustSize": "Large",
65         "zodiac": "Scorpio",
66         "pubicHair": "Hairy",
67         "weight": "145 lbs",
68         "bodyMods": [
69             "tattoos"
70         ],
71         "fetishes": [
72             "Foot Fetish",
73             "Anal",
74             "Roleplay",
75             "Submissive",
76             "Depththroat"
77         ],
78         "bodyHairs": [],
79         "ethnicities": [
80             "Caucasian"
81         ],
82         "sexualPreferences": [
83             "Bisexual"
84         ],
85         "eyeColor": "Green",
86         "penisSize": "",
87         "theme": "Toys,Housewives",
88         "hairColor": "Red",
89         "age": 47,
90         "height": "5'5\"",
91         "measurements": "34-27-36\" (86-69-91cm)"
92     },

```

```
93         "description": "I like to touch myself knowing that you are hard for me,
making yourself happy is a priority. I love to outdo myself for a role play, to be your
submissive, but also to give you orders. I do JOI, SPH, FOOT, ANAL, MASTURBATION,
SQUIRTING.",
94         "expertise": "I do amazing role plays. Dirty talk, as well as several
fetishes, GOLD SHOW, JOI, FOOT, SPH and more. Be as precise as possible in your
requests.",
95         "turnOns": "I love when there is a bond between the two of us, I love to
see you cum, it becomes my reward. Being dominated and also dominant, sensuality excites
me as much as your naughty side. I love JOI, SPH, FOOT, ANAL, MASTURBATION."
96     },
97     "updatedAt": "2025-05-07T18:37:27.019Z",
98     "customTags": [
99         "langenglish",
100        "langfrench",
101        "gc_40_49",
102        "gc_canada"
103    ],
104    "totalVideos": 54,
105    "characteristicsTags": [
106        "anal",
107        "bisexual",
108        "canada",
109        "caucasian",
110        "depththroat",
111        "english",
112        "foot fetish",
113        "french",
114        "green eyes",
115        "hairy",
116        "large tits",
117        "mature",
118        "petite",
119        "red hair",
120        "roleplay",
121        "scorpio",
122        "slender",
123        "submissive",
124        "tattoos",
125        "white",
126        "woman"
127    ],
128    "autoTags": [
129        "blowjob",
130        "dirty talk",
131        "feet",
132        "housewife",
133        "masturbation",
134        "muscular",
135        "pussy",
136        "sex toy",
137        "squirt"
138    ],
139    "stars": 5,
140    "systemScore": 0.99631191,
141    "systemSource": "streamate",
142    "lastConnection": "2025-04-28T19:51:04.000Z",
143    "itemId": "streamate_88333014",
144    "createdDate": "2022-09-03T05:14:07.506Z",
145    "name": "misshornymiss",
146    "thumbnailUrl":
147    "https://imagetransform.icfcdn.com/avatar/misshornymiss.webp",
148    "roomUrl": "https://t.crjumpy.com/158626/6358?
aff_sub3=TC_LW9H5CT9&aff_sub4=AT_0007&aff_sub5=SF_0060G000009yQgn&file_id=614495&model=mi
sshornymiss"
148    }
149    ]
```

Lite Version

To improve performance (response latency, response payload), a more concise performer object can be retrieved from the API.

i Lite version is enabled by default.

To use the full version of the performer response, please contact your affiliate manager.

[/performers-ext](#) | [/performers-ext Performer Object documentation](#)

Performer Object Documentation

Basic Information

Property	Type	Description	Included in lite version	Example
<code>name</code>	string	Performer's username/display name	✓	"misshornymiss"
<code>nameClean</code>	string	System standardized performer name	✓	"misshornymiss"
<code>itemId</code>	string	Unique identifier (platform_id)	✓	"streamate_88333014"
<code>thumbnailUrl</code>	string	Profile image URL	✓	" https://imagetransform.icfcdn.com/avatar/misshornymiss.webp "
<code>roomUrl</code>	string	Direct streaming room link	✓	" https://t.crjmpy.com/158626/6358?... "

Status and Metrics

Property	Type	Description	Included in lite version	Example
<code>live</code>	boolean	Current streaming status	✓	true
<code>score</code>	number	Performer rating on provider system	✗	1
<code>stars</code>	number	Performer stars	✓	5
<code>systemScore</code>	number	Internal system rating (0-1)	✗	0.99631191
<code>totalVideos</code>	number	Available videos count	✗	54
<code>systemSource</code>	string	Platform identifier	✓	"streamate"

Timestamps

Property	Type	Description	Included in lite version	Example
<code>createdDate</code>	string	Profile creation date (ISO)	✓	"2022-09-03T05:14:07.506Z"
<code>updatedAt</code>	string	Last profile update (ISO)	✗	"2025-05-07T18:37:27.019Z"
<code>lastConnection</code>	string	Last activity (ISO)	✗	"2025-04-28T19:51:04.000Z"

Streaming Information

Property	Type	Description	Included in lite version	Example
----------	------	-------------	--------------------------	---------

iframeFeedURL	string	Stream embed URL	✓	" https://hybridclient.naiadsystems.com/purecam?... "
---------------	--------	------------------	---	-----------------------------------------------------------------------------------------------------------------------

Characteristics Object

Property	Type	Description	Included in lite version	Example
age	number	Performer's age	✓	47
height	string	Height in inches	✗	"65"
weight	string	Weight in pounds	✗	"145"
measurements	string	Body measurements	✗	"34-27-36\" (86-69-91cm)"
bustSize	string	Bra size	✓	"DD/E"
hairColor	string	Hair color	✓	"Red"
eyeColor	string	Eye color	✓	"Green"
pubicHair	string	Pubic hair style	✗	"Hairy"
gender	string	Gender identifier	✓	"f"
genderCode	string	Single character gender code	✓	"f"
country	string	Two-letter country code	✓	"CA"
languages	string[]	Spoken languages	✓	["English", "French"]
ethnicities	string[]	Ethnic backgrounds	✓	["White"]
bodyTypes	string[]	Body type descriptors	✓	["Slender"]

bodyMods	string[]	Body modifications	✗	["Tattoos"]
bodyHairs	string[]	Body hair characteristics	✗	[]
zodiac	string	Astrological sign	✗	"Scorpio"
sexualPreferences	string[]	Sexual orientations	✗	["Bisexual"]
fetishes	string[]	Fetish interests	✗	["Feet", "Anal", "Roleplay", "Submissive", "Deepthroat"]
theme	string	Comma-separated themes	✗	"Toys,Housewives"

Internationalization (i18n) Object

Property	Type	Description	Included in lite version	Example
characteristic	object	Translated characteristics	<input checked="" type="checkbox"/> NB: same attributes as in the list	{ country: "Canada", gender: "Woman", ... }
description	string	Self-description	✗	"I like to touch myself..."
expertise	string	Specialties	✗	"I do amazing role plays..."
turnOns	string	Preferences	✗	"I love when there is a bond..."

Tags

--	--

Property	Type	Description	Included in lite version	Example
<code>customTags</code>	<code>string[]</code>	System-generated tags	✓	["langenglish", "langfrench", "gc_40_49", "gc_canada"]
<code>characteristicsTags</code>	<code>string[]</code>	Characteristic-derived tags	✓	["anal", "bisexual", "canada", ...]
<code>autoTags</code>	<code>string[]</code>	Auto-generated content tags	✓	["blowjob", "dirty talk", "feet", ...]

Notes

- All timestamps are in ISO 8601 format
- URLs are HTTPS
- Arrays may be empty but are never null
- Some fields may be empty strings ("") when no value is available
- The object follows a consistent structure for internationalization
- Tags are used for search and categorization purposes

Tracking URL

⚠ Make sure your affiliate id is included into the `roomUrl` for a successful tracking

Each Performer object must have a `roomUrl`. It redirects to the performer's room. This url must contain your tracking parameters and the performer name as:

```
1 | https://{domain}/{affiliate_id}/{}?
   | {tracking_params(aff_sub,ssource,..etc..)}>&model={performerName}
```

Example on affiliate id: 1, `aff_sub1=documentation` with performer `misshornymiss`

```
1 | https://t.crjmpy.com/1/3?aff_sub1=documentation&model=misshornymiss
```

Request CURL Samples

Fetch 10 female performers with ethnicities caucasian

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)
- query params:
 - token=<YOUR_TOKEN> (required)
 - gender=f
 - page=1
 - size=10
 - ethnicities=caucasian

```
1 curl --location 'https://{url}/performers-ext/?token=  
  <YOUR_TOKEN>&gender=f&ethnicities=caucasian&page=1&size=10' \  
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for displaying the feed of a specific performer


Fetch one live female performer

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)
- query params:
 - token=<YOUR_TOKEN> (required)
 - live=true
 - gender=f
 - page=1
 - size=1

```
1 curl --location 'https://{url}/performers-ext/?  
  gender=f&live=true&token=<YOUR_TOKEN>&size=1&page=1' \  
2 --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for displaying the feed of a specific performer

Fetch one specific female performer

 Required: performer name AND performer's brand

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)
- query params:

- token=<YOUR_TOKEN> (required)
- name=<PERFORMER_NAME>
- brands=<PERFORMER_BRAND>

```
1 | curl --location 'https://{url}/performers-ext/?
   | name=misshornymiss&brands=streamate&token=<YOUR_TOKEN>&size=1&page=1' \
2 | --header 'x-api-key: <YOUR_API_KEY>'
```

Example use case: for fetching profile information of a specific performer

Fetch performers within age

- request headers:
 - 'x-api-key': <YOUR_API_KEY> (required)
- query params:
 - token=<YOUR_TOKEN> (required)
 - ages=<AGES_OPTION>

```
1 | curl --location 'https://{url}/performers-ext/?token=
   | <YOUR_TOKEN>&ages=gc_20_29&size=6&page=1' \
2 | --header 'x-api-key: <YOUR_API_KEY>'
```

Display stream feed of a live performer

Use case

- Display a stream feed into an iframe.
- When you click on the iframe it opens a new tab to the performer's room.
- It also attributes the user transaction to your affiliate id

How to

- [Fetch one live performer](#)
 - You get a response with:
 - `PERFORMER_OBJECT.iframeFeedUrl`
 - `PERFORMER_OBJECT.roomUrl`
- Create a index.html file
- Copy the code below
- Paste it in the index.html
- Replace the
 - `PERFORMER_OBJECT.roomUrl` by the roomUrl you received in the response

- `PERFORMER_OBJECT.iframeFeedUrl` by the `iframeFeedUrl` you received in the response
- Open the `index.html` in a browser (Google Chrome, Safari, Firefox ..etc..)
- Interact with the feed

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="UTF-8" />
5     <meta name="viewport" content="width=device-width, initial-
6     scale=1.0" />
7     <title>Test Iframe</title>
8     <style>
9       body {
10        margin: 0;
11        padding: 0;
12        height: 100vh;
13        overflow: hidden;
14      }
15
16      #testLink {
17        cursor: pointer;
18        display: block;
19        width: 100%;
20        height: 100vh;
21        position: relative;
22        text-decoration: none;
23      }
24
25      #testIframe {
26        pointer-events: none;
27        display: block;
28        width: 100%;
29        height: 100%;
30        border: none;
31      }
32    </style>
33  </head>
34  <body>
35    <a
36      id="testLink"
37      href="PERFORMER_OBJECT.roomUrl"
38      target="_blank"
39    >
40      <iframe
41        id="testIframe"
42        src="PERFORMER_OBJECT.iframeFeedUrl"
43        frameborder="0"
44        allow="autoplay; encrypted-media"
45        sandbox="allow-scripts allow-same-origin allow-forms allow-
46        popups allow-popups-to-escape-sandbox"
47      ></iframe>
48    </a>
49  </body>
50 </html>
```

Performance

Response time

- The more models are requested, the longer the response time
 - Latency is increased by the network requests and payload processing

Caching

- Performers data is cached for 30seconds

Legal & Compliance Requirements

⚠ Use of the *Performers API* is subject to the following requirements. By integrating and using this API, you acknowledge and agree to the terms outlined below.

Terms of Service & Ethical Content Compliance

All affiliates must adhere to CrakRevenue's [Terms of Service](#) at all times.

All content distributed or displayed through websites using this API must comply with CrakRevenue's [Ethical Content Policy](#), with regards to non-compliant, illegal, harmful and forbidden content that is strictly forbidden.

DMCA Compliance

Affiliates must include a valid and accessible DMCA notice or takedown procedure on all websites using the API and respond to DMCA takedown requests promptly, removing any infringing content without undue delay.

API Key and Token Usage Restrictions

- API Tokens are domain-bound. They are issued for specific, authorized websites only for which affiliates are the owner.
 - Tokens cannot be reused or transferred to other websites without prior written consent from CrakRevenue.
 - API Keys may be revoked at CrakRevenue's discretion at any time, with or without notice, especially in cases of abuse or non-compliance.
-

Enforcement

Non-compliance with any of the above may result in:

- Immediate revocation of access to the API
- Suspension of affiliate accounts
- Legal action, if warranted

If you have questions or need clarification, please contact your account manager or reach out to our compliance team.

Change Log

Version	Date	By whom	Description
1.6	2025-10-01	Support team	Lite version is enabled by default
1.5	2025-08-13	Support team	Add example on how to use <i>iframeFeedUrl</i>
1.4	2025-08-06	Legal team	Add legal & compliance requirements
1.3	2025-07-22	Support team	Add ages in query parameters Add error response code Add fallback information
1.2	2025-07-14	Support team	Update on <i>name</i> filter
1.1	2025-07-01	Support team	Performance optimization. Available value listing.
.1.0	2025-05-23	Support team	First deployment of the endpoint